#584

State of Montana (County of Gallatin Ss.)

Filed Pabruary 8 1963

all:12 o'clook M.

FARL WALTON COUNTY CLERK & RECORDER DEPUTY

Fee 2.00 pd

r	7	٠	١	ľ
٠	٠			

Approved	Stock	Form-	Stz.e	Publishing	Ca_	Heleca.	Montana	42234

4	~3 <sup>3</sup> 7	11 m


File No....

DUPLICATE

T 3N R 1E
County Selletin

### STATE OF MONTANA

### ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Declaration of Vested Groundwater Rights

(Under Chanter 237, Montana Session Laws, 1961)

	romina	ione, of the that
(Name of Ar		(Address) (Town)
nty of	ater according	g to the Montana laws in effect prior to January 1, 1962, as follows:
N	•	
· · · · · · · · ·	<del></del>	2. The beneficial use on which the claim is based
<b>( - A</b>		stockwain
		3. Date or approximate date of earliest beneficial use; and how continuous the use has been
K-8		ous the use has been
		4 Mbs assessment of assessed assessed /in mineral inches or college
		4. The amount of groundwater claimed (in miner's inches in gallon per minute) A = 50 B = 15 C = 15
• - 1		
*		# #P 3 P 1 1 1 1 3 3 1 1 3 1 3 1 3 1 3 1 3 1 3
<u> </u>	لنسنب	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
		nme
Sec 35 T 3 N R	7 <i>5</i>	***************************************
e point of appropriat	tion	***************************************
ace of use, if possible. E	ach	6. The means of withdrawing such water from the ground and the local
musre represents 10 sc	TOR	A. THE HIGHER OF MITHERATING SACIN MORE FROM THE MANY AND THE
square represents 10 ac	res.	tion of each well or other means of withdrawal
equare represents 10 ac	ent and comp	letion of the construction of the well, wells, or other works for with
represents 10 ac	ent and comp	tion of each well or other means of withdrawal
The date of commencement awal of groundwater	ent and complete a	letion of the construction of the well, wells, or other works for with
The date of commencemental awal of groundwater	ble, the typ	tion of each well or other means of withdrawal.  Solution of the construction of the well, wells, or other works for with the construction of the well or the general specifications of any other construction of each well or the general specifications of any other construction.
The date of commencement awal of groundwater	ble, the typ	tion of each well or other means of withdrawal.  Solution of the construction of the well, wells, or other works for with the construction of the well or the general specifications of any other works.
The date of commencement awal of groundwater table far as it may be avorks for the withdrawal	ble, the typ of groundwater	tion of each well or other means of withdrawal  cletion of the construction of the well, wells, or other works for with  ce, size and depth of each well or the general specifications of any other  withdrawn each year
The date of commencement awal of groundwater table far as it may be avorks for the withdrawal	ble, the typ of groundwater	tion of each well or other means of withdrawal.  Solution of the construction of the well, wells, or other works for with the construction of the well or the general specifications of any other construction of each well or the general specifications of any other construction.
The date of commencement was of groundwater	ble, the typ of groundwater	tion of each well or other means of withdrawal  cletion of the construction of the well, wells, or other works for with  ce, size and depth of each well or the general specifications of any other  withdrawn each year
The date of commencement awal of groundwater	ble, the typof groundwater countered in the	detion of the construction of the well, wells, or other works for with the same and depth of each well or the general specifications of any other withdrawn each year the drilling of each well if available the drilling of each well in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying the same as may b
The date of commencement awal of groundwater	ble, the typof groundwater countered in the	detion of the construction of the well, wells, or other works for with the same and depth of each well or the general specifications of any other withdrawn each year the drilling of each well if available the drilling of each well in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying out the policy of this act, including the same as may be useful in carrying the same as may b

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. ,465H

State of Montana County of Gallatin	§8.
Filed 7 7 7	<u>-7</u> , 1963
Frank Wa	llon
By	
Fee \$ DE	DEPUCT
700	DEPUTY

~	•	ı
u	٠	١

GN.	Approved Stock Form-State Publishing Co., Helena, Montana 42234
File No	T3N R 7 =
DUPLICATE	County Tallation
	STATE OF MONTANA
	ISTRATOR OF GROUNDWATER CODE
	FFICE OF STATE ENGINEER DEU 3 0 1963
	of Vested Groundwater Rights 12 21 21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
County of Helican	benson, of Address Hilself  State of Montana
have appropriated groundwater accord	ling to the Montana laws in effect prior to January 1, 1962, as follows:
N N	2. The beneficial use on which the claim is based la mache
*	a stockwater
	3. Date or approximate date of earliest beneficial use; and how continu-
*	ous the use has been 900 continued
<b>"</b>	
	4. The amount of groundwater claimed (in miner's inches or gallons
X	per minute) 2.5."
•	5. If used for irrigation, give the acreage and description of the lands
s	to which water has been applied and name of the owner thereof
	none
Indicate point of appropriation	
and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
	tion of each well or other means of withdrawal
	electric pump - gravity flow
7. The date of commencement and condrawal of groundwater 1900	mpletion of the construction of the well, wells, or other works for with-
1914 9 was ,	deed pron to that
	nknown
	type, size and depth of each well or the general specifications of any other
	<u> </u>
	11
10. The estimated amount of groundwat	er withdrawn each year tunk noun
11. The log of formations encountered in	the drilling of each well if available.
unknoe	

Signature of Owner Charley a Robinson
Date Dec 24 1969 Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

12. Such other information of a similar nature as may be useful in earrying out the policy of this act, including reference to book and page of any county record

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Starte of Montana County of Gailatin SS.

Filled Mac 27 1963

at o'clock M.

County CLERK & RECORDER

By OFFISTY

Fee \$ 700 PM

GROUNDWATER INDEX

Page 1 of 2

County Mallatin Twp. 272 Rge. 1W


Sec	•	Tyre of Form	County File No.	Remarks
	- Hager Wenry	なかる	890 -	
	my say			-
1				
-				
<u> </u>			:	
			!	
			-	
-			<u> </u>	
-				
-				
-				
-				
-			<del> </del>	
-			<del> </del>	
				<del> </del>
-			1	<del> </del>
-			-	
-				
			<del></del>	
			<u> </u>	
<u> </u>				
-				
-				ļ
<u> </u>				
-				
·			<del></del> -	
				<u> </u>
				<u> </u>
	:			
				:

County...

File No....

QUADRUPLICATE

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



STATE ENGINEER

# Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater
Owner
Contractor (if any)
Address of Contractor
Date Started Date Completed
Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
water when applicable
£
Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
estimate approximate lengths of periods of use
estimate approximate lengths of periods of de-
***************************************
\
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Signature of Owner
Date

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

± 890

State of Montana   SS	
Fied Dec 17, 1963	
at 145 o'clock P.M.	
Garl Walton	
COUNTY CLERK & RECORDER	
By Ha J. Morrow	•
Fee \$ 200	

County Laclatia Twp. 27 Rge. /E

			County	
Sec.	Name of Appropriator	Type of Form	File No.	Remarks
21	Stuckeys John King	2m2	2286	
	Baluard Blancy a	271.2	3073	
	Bolyed Region R.			!
25	Regulation	DW 2	2355	
91	Brance Richard M.	6W4	1670	+
	Hager Mathelda	12	3076	<u> </u>
اد		12 W 2	:	
25	Hage Mathilda	<del></del>	3075	L
		12 m 2	2/53	<u> </u>
23		242	2154	<u> </u>
	Israel Eloy	No.		
ا ما	makes Earl &	274	1221	<b>T</b>
i . i	me Lees Thoused II.	D7+4	1233	<b></b>
	· · · · · · · · · · · · · · · · · · ·	Z712	2351	<b>+</b>
25	martara Lighway Commission	EW2	2203	<u>†</u>
25	hellip James C. 4	272	3223	
	Phillips Deanne K.			
25	Schidel Dean or	2712	2262	<b>*</b>
	Scholal Lyla			
25		57 Mil Long	36981	+
1	Vanser John C. and	MW 4	1625	+
	Vanser Janeal C.			
26	mustice Tal	242	88446	+
26	Patersen William B	11 W.4	1517	+
	Thate Edward & and	DW4		<u> </u>
F .	<b>V</b>	2 11 4	1	
10/	Teste Hayl T	4201	974	
26	Thengrap Ida and	22 14	117	<del></del>
	Thenpron Ole		1.007	
26	William Clifford Rand	2 W 4	1597	<del></del>
•	Melen Betty L	3	<del>                                     </del>	<del></del>
34	Lasi Lis J.	2714	1550	<u> </u>
1	Celbro Micinia A	12W4	1374	<del></del>
35	Burdith Birthe M and	12 mg	1931	‡
<u> </u>	Burdette Cacocece	ļ		<u> </u>
35	The Facks Four of	2W4	1677	<u> </u>
35	Jenkins J. A.	12 W4	1203	<u> </u>
	Janes Frank and	12 W4	1197	
	Dans Mora D			
35		2754	1997	+
	Driver alice Hale	1	1236	+
		12 W4	1222	+
	Kasta Kathrya			
31.	Karta Jaughard mary	LWZ	2220	+
2/-	Links Till		1140	•
76	Secreta Tale Comerny Corp	jun o	•	<del></del>
25	Teule Rayal & Han m.	ji 04-11	3013	1
	Roadsmel Earl Vr.	DN4	1234	<del>-</del>
t		!	I	

County Listlatin Twp. 2N Rge. 1F

	Type of Form	County File No.	Reharks
Sec. Name of Appropriator		<b> </b>	
35 Smith Japat and	yw4	1088	·
Smith ana R.	<b></b>	+	
- Lieva Tele Co a Corporation	on 1 2 14	1/4/	
- Hoobers Theese V	774	924	
35 Holdera ailie E. Mis	124	884	
25 Bertagnolle Edward & c	* 27-4	1795	
Bertagnelli Heles P.			
25 allen Rasley A.	274	1537	
	<del></del>		
1000	2	2/28	
26 Balyard Blaine 9	12 012	128	
Balyard Regina		11177	
24 Shouse, R	GW4	1524	
26 Hoigh, margaret R	GWY	952	
25 dane, William Kenneth	GWY	400	
25 Cdans, Cerch C	well log	400	
25 City of Three Forks	well log		
25 City of Three Forks	G W2	32/6	
25 Geston, miles G. + Lellien	GW2	3099	
25 Silmore, Carl	G w4	1310	
25 Harden, Ellen 7	GWY	1222	
25 Le Tempt, Dorthy m		3251	
25 Richardson, Chas P.+ anna A	well log		
25 Turley, Royal	6 W2	3088	
26 Illiaton, C.	GW2	3228	-
36 Alengel, Roy 35 Anderson, Jim + narry C.	GW2	3271	
35 Peterson, Richard D. or mac,	R GW2	33/7	
36 Jonese, Robert L. + Florence 9	GW4	1806	
- Loudenalages, Hizalett + Pa	ul GW2	3230	<u> </u>
Calculation of the Control of the Co			
			<del> </del>

GW .	Approved Stock Forth—State Publishing Co., Helena, Montana 2234
File No	TAN REE
DUPLICATE	County Fillatin
	STATE OF MONTANA
	TRATOR OF GROUNDWATER CODE OF STATE ENGINEER  JAN 18 1964
Doclaration o	f Vested Groundwater Rights Alexander
(Under Chap	oter 237, Montana Session Laws, 1961)
_	
(Name of Appropriator)	(Address) (Town)
County of	State of State of
	to the Montana laws in effect prior to January 1, 1962, as follows:
м 	2. The beneficial use on which the claim is based house halling
<del>'</del>	2. The beneficial use on which the claim is based house hall use
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been 5th 1855
W E	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) the true guerry
5	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
	· lout 10 acres
Indicate point of appropriation	
and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
	no I let i lock I our Town
	tion of each well or other means of withdrawal purific the 1 let winds of the formal surface of the letter of the second of the
	etion of the construction of the well, wells, or other works for with-
· ·	
•	
works for the withdrawal of groundwater	e, size and depth of each well or the general specifications of any other
acoust 20ft days	
•	vithdrawn each year
11. The log of formations encountered in the	e drilling of each well if available grand
_	ure as may be useful in carrying out the policy of this act, including
	Signature of Owner f. 1. Shown
	Date 20 19 63
Three copies to be filed by the owner with the	County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable	e, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder;	Duplicate to the State Engineer; Triplicate to the Montana Burcau of
Mines and Geology, and Quadruplicate for the	Appropriator. 35784

14:0

SS.

9 44 o'clock 4 M

COUNT DERK E RECORDER

DEPUTY

è

1

GV :				-	Approved	Stock Form-		_	L Montana	ي د
File No		********		,	•		T	<b>2</b> N R	IE	21
DUPLICA	ATE							nty GAI	LATIN	
		LOG	. '		ADMINISTI		OF MCNI OF GROU		R CODE	
	Top of Gr	ound			OFF	ICE OF	STATE E	ngineer	<u>:</u>	
- 1	(Elev. abo	ve sea level		Not	ice of C	omple	etion o	of Gro	undwal	er
				4	Appropri					
					(Under Chap			UARY 1,		
- 04	581 Cl	<b>278</b> .			_	ter 201, 1		Rt.	Box 70	
384	- 72' Cei	mented gr	avels.	Owner ST	VCKEYS. ING: Pre:	rident	Addre	COLORA	OO SPRII	ius, coli
-	Dr			Driller VAH	DYKKE DRI	LLING	_ <b>CO</b> Addr	SS_BOZE	MAN	IT
724	- 83' Cl	ays. Dry.		Date of Noti	ce of appropr	iation of	groundwa	ster	NONS	
834	-113' Bl	ue shales	•	Date well sta	rted Marci	30/7	QDate	completed.	March	1/70
¥134	1181 Pi	ne sands.	Little	Type of wel	Drilled		Equipm	ent used	Rotary	
_	Wa	ter.		(Dug, Drive Water use:	n, borea or ari	nea)	(Cnuri	i drill, rotal	y or other)	gation []
118	-140' B1	ue shales	. Dry.	water use.	Industrial		ainage [	Othe		Samon []
1404	-160' C1	ays with	sand	met with in	on the diagra drilling, such	as soil, c	lay, shale,	gravel, ro	ck or sand,	etc. Show
1	le	nses. Wet	•	depth at whi	ch water is en eight to which	countered the wat	d, thicknes er rises in	ss and char the well.	acter of wa	ter-bearing
1604	-171' Sa	nd stone,	WATER.	Size of	Size and	From	To	T	PERFORATION	<u> </u>
				Drilled Hole	Weight of Casing	(Feet)	(Feet)	Kind Size	From (Feet)	To (Feet)
<u> </u>	Ŧ	.D. 171'			A" I.D. Pla <b>stic</b>					
-	_	-,-		6 <b>≩</b> "	in Wall	0:	1781	1/16° 31 <b>0ts</b>	110	170'
- 1					6" stee		300			}
1					17# Growted.	01	10*	no	20	
					. N		1041 - 1970 A	I	for non-flo	
L 1				;	i i	ヿ ゚	tatie Wat	er Levei		5
									lowing We	none
<b> -  </b>						P		Vater Leve		fee
<b> -  </b>				*		-			l. per minut min. of fl	
								•		леве
						H	low Tested	Air li	It. Hrs.	
<b> </b>				<u> </u>	\$			Gravel page	king, cemer	ting, pack
<b> </b>			NE 1/4	NE14 San	21 T.2N F	ale e	rs, type ct	shutoff)	" casin	gis
- 1			, ·	Indicate loca	ation of well if possible.	and 💆			from 7	
					re represents	40	±/±-40	Casing	20 220	aven 11
	Doc. No	2286			****** - ****** **********************	****				
		day of	uni						itinue on re	
L II	A. D. 19_7		9:15	numbe	ed for irrigat er of acres an					
-	o'clock	Z11.	7113	tion).						
- 1										
	Show exac	t depth of bot	tom.	************************				**********************		
		• • • •	• .•			•• .•		LICEES	1 NO 1	
County Cle	erk and Reco	ed by driller, and rder in the coun					Driller	's Lice ^	Number	_
retained by	-		•-			<i>7</i>	15.	1.11/2	in Dus	lin
Please ans returned.	swer all ques	stions. If not a	rpplicable, ac	state, otherw	ise the form w	rill be '	Driller	's Signatu	re	

State of Montana
County of Gallatin

Filed

911 O'clock A.M.

Carl J. Stucky

County Clerk & Recorder

By Deputy

Deputy

DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand,

gravel, shale, sandstone, etc. Show depth at which water is found and

height to which water rises in well.

(Elev. above sea level)

Top of Ground

#### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

		-
This form to be prepared by driller, and three co by the owner with the County Clerk and Recorder which the well is located, last copy to be retained	in 1	the county in

by the own	er with th	e County	Clerk an	nd three co d Recorder be retained	in the cou	ntv in	From (Feet)	To (Feet)		
			not applic	able, so sta	te, atherwi	se the				
form may b	be refurned	<u>.                                    </u>							RAK-BOA-B	
Meine H	. and Ro	rine R.	Balvard							
Owner				For Admi	nistrator's (	Ise				
Address	lax 393		j	File#307	3					
Addiess		********	L							
Three Los	da. Nent	ana		May/19192	2 10:15	arte.				
_			1	<i>,</i> •		1				
Date well s	tarted	opt. 5-1	310	GW 1						
com	nleted S	ant. 5_1	970			1				
com	pieled	<b>-</b> 1.502	J19							
Type of we	II Beig	<b></b>		~~~~~~~						
• •				ag, driven, bored	or drilled)					
Equipment	usedR.	pe Drive								
Mater Hea	Dam.=-4:-	- M		Churn drill, rotar		_				
Water Use:	Domestic	∐ Mu	nicipal [	] Stock [	] Irrigati	on 🔛				
Indu	strial []	Drainage	T 0	her 🗆*	Garden/La	wn [7]				
		D.0090	<u> </u>		Odi Gerry Ear	···· 🗀				
*Describe					***************************************	·				
USE: If use				drainage or			<u> </u>			
state	number of	acres and	location	or other da	ta (i.e. Lot,	Block				
and A	ddition) L	otu 21-2	2-25 KI	ock 1 Dat	tlemme I	Hitian				
		end peta								
ESTIMATED				00,000.42	lloss					
Size of										
Orilled Hole	Size and Weight of Casing	(Feet)	(Feet)		ERFORATION					
riven	2"	0'	201	Kind Stre	From (Feet)	(Feet)	ļ			
and Point	oming			Į.a	19'	10'			·	
ł	1/8"			drilled	i					
	well			hole	}					
				offset	}					}
				3"	ł					
					i I	İ				
	N				<u></u>		-			
		•	Stat	ic water lev	el1	Qft.*				
	- (		Pun	nping water	level3	<b>4</b> ft.*				
				300						
•	l			asured . <b>60</b>	minutes aft	er pumping	/			
<b>w</b>	ļ	,	beg	•		1				l
•				easured fror II develop <del>e</del> d	-					1
				<b>two</b>						l
				ver <b>Klest</b>		<b></b> HP				Ì
	1			narks: (Grav						
<del></del>	<u> </u>			kers, type o						
•,	., •			md Point	math foot	.valve				
	¼ Se						<b> </b>			
	<u>N</u> R	<u>-</u> <u>-</u>	···		*************					
INDICATE I	CCATION	OF WASH	AND	LACE OF U	CE 15 000	CIDI =				
EACH SMA					GE, IF POS	NIDLE.				
Oriller's Sig	nature						-			l
Driller's Ad	dress					****	<u> </u>	<u></u>		<del>-</del>

LICENSE NO.

20 fast Show exact depth of bottom

#3073

State of Montana
County of Gallatin
State of County of Gallatin
State of County of Gallatin
State of County of Gallatin
State of County of Gallatin
County of Gallatin
State of County of Gallatin
State of County of Gallatin
County of Gallatin
County of Gallatin
County of Gallatin
County of Gallatin
County of Gallatin
County of Gallatin
County of Gallatin
County of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County Of Gallatin
County

•

**S** 

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session L	Laws, 1961, as amended)	)
This form to be prepared by driller, and by the owner with the County Clerk and which the well is located, last copy to be	d Recorder in the county	led in

Please ansv form may l			not applic	able, so stat	te, otherwis	e the
wner	ACK ERAI	DY	p		· ·	
				For Admir	nistrator's U	se
ddress	THREE M	DRKS,	YON TAM	ne 23	55	
				MARC	H 16,1	971
************	5,	8/70			•	
ate well s	started			SW 1		
com	pleted	13/70	)			
		)rille	_			
/pe of we		****	(De	g, driven, bored	or drilled)	**
quipment	usedCa	ble to	*************	ret drill, rotary	or other)	
later Use:	Domestic	Mu Mu		Siock [	·	on []
Indi				her 🗆*	Garden/Lav	vn 🗌
Describe	heuse k	old a	Je,			
SE: If use	ed for irrig	pation, in	dustrial, d	drainage or	other. Ex	plain,
				or other dat	-	RIOCK
and 4	Addition)	• • • • • • • • • • • • • • • • • • • •		./*****		
STIMATED	ANNUAL Y	WITHDRAY	WAL		*********	*******
Size of Firtiled	Sire and Waight of Ching	From (Feet)	To (Feet)	P	FREGRATION	<b></b>
Hole	of Civing			Kind Site	From (Fest)	To (Feet)
6n	6 5/8"				12 344	(1445)
	0.0.	Q	43	tx2"		
	17#per			slots	22	24
	100		i 	<u>.</u>		
		·				
	N		<u></u>	<u></u>	01	<del> </del>
I		!		c water lev		)ft.
			eum at	ping water	gallons	
	İ		_	sured		
•		<del></del>	beg∉ *Me	an. ⊳sured fron	n around k	eyel.
	ı		Well	geveloped	by sur	ing
			_		.hours. Pump	Н
			Rem	arks: (Grav	el packing,	cementing
<u> </u>	5	<del></del>	PE	alegaci	shutoff)	toff
W 4	IV /4 Se	c. 25	fre	e surfa	es to I	31
T2	N R	1E				
INDICATE	ZEX.	•	AND 31	ACC 05 14	re ie 000	C161 C
	LUCATION LL SQUAR			ACE OF U	_	Diple.
	77		LAEN	DHALLIH	G CO.	
Driller's Sig	•		23.16	a seff Con		
Driller's Ac	idress	BOZIMAN	, Mout	ARA		
				LICENSE	, <sub>10</sub> ]	

#### DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, day, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

From (Feet)	To (Feel)	
0 व	21	Topusoils.
2	21	Sand and gravels wit
		clay lenges.
		Water 22! to 24!
24	33	Clays. Dry
33	33	Sand and gravels. Some water.
35_	177	Fine sands, Dry.
41	43	Buff clays, Dry.
43_	<u>50</u>	Blue shales With
		from 48' to 50'
		Water in sandstone.
~~~	<del> </del> -	
		ا من الله الله المن المن الله المن الله المن المن المن المن المن المن المن المن
	<del> </del>	
	┼┤	
		ه من المدارك المدارك المدارك المدارك المدارك المدارك المدارك المدارك المدارك المدارك المدارك المدارك المدارك ا المدارك المدارك
	<b> </b>	
	┿╼╾┥	رات الله الله الله الله يمه يمه يمه يمه يمه يمه يمه يمه يمه يم
	;\	
	} \	· • • • • • • • • • • • • • • • • • • •
	<del>  </del>	
	<b> </b>	
	<b></b> -	
	<del> </del> -	
	<del>  </del>	
	<del> </del>	
	i!	

State of Montan | ss.

County of Gamerin | ss.

Filed Flarch |6, 197/

\_o'clock\_\_M. Carl L' Stucky
Country Clark & Bookser
Lecall Milefered

	77
•	

Approved Stock Form-State Publishing Co., Helena, Monraga 42234

-76

File No.

T 2 H R I I

County Gellatin

DUPLICATE

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER UL JAN 16 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

	of Box 245 Rozenson
(Name of Appropriator)	(Address) (Town)
County of Gelletin	State of Soutene
	ing to the Montana laws in effect prior to January 1, 1962, as follows:
N	2. The beneficial use on which the claim is based Livestock
	watering
	3. Date or approximate date of earliest beneficial use; and how continue
	ous the use has been. Since June, 1951
E	
XX	111 T 151 T 1 1 1 1 1 1 1 1 1 1 1 1 1 1
<b>x</b> :	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 300 gallons per minute
<u> </u>	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof <b>mot Applicable</b>
R 1/2 Star Sec 25 T. 21 RIR	
dicate point of appropriation	
d place of use, if possible. Each	
nall square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca
	tion of each well or other means of withdrawal
'. The date of commencement and com drawal of groundwater 3. wells	apletion of the construction of the well, wells, or other works for with completed hime, 1951, and used continuously
drawal of groundwater	completed Ame, 1951, and used continuously
drawal of groundwater	completed have, 1951, and used continuously  cestimated  ype, size and depth of each well or the general specifications of any other  ter. 6" casing on each well average estimated
drawal of groundwater	completed hame, 1951, and used continuously  setimated  ype, size and depth of each well or the general specifications of any othe ater 6" casing on each well, average estimated  r withdrawn each year linknown
drawal of groundwater	completed have, 1951, and used continuously  cestimated  ype, size and depth of each well or the general specifications of any other  ter. 6" casing on each well. average estimated  r withdrawn each year Unknown
drawal of groundwater	r withdrawn each well if available Unknown
drawal of groundwater	spe, size and depth of each well or the general specifications of any other of casing on each well, average activated  r withdrawn each year Unknown  the drilling of each well if available Unknown  mature as may be useful in carrying out the policy of this act, including
drawal of groundwater	r withdrawn each year Unknown  the drilling of each well if available Unknown  the drilling of each well if available Unknown

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

### #1670

State of Montana } ss.

Filed <u>Due 31</u> 1963

at 1:08 o'clock P.M.

COUNTY CLERK & RECCHOER

By A CHIEFERT

Fee \$ 2.00

,

RECEIVED

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

## APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

DRILLER'S LOG Indicate the character, color, thick-

MONTANA WATER RESOURCES BOARD TANA DEPARTMENT OF INATURATION DEPARTMENT OF MATURATION OF GROUNDWATERING ACCURATION OF GROUNDWATER ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF GROUNDWATERING ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION OF ACCURATION depth at which water is found and height to which water rises in well.

the awa	to be prepa ner with the	ered by County	driller, a	nd three cop id Recorder in	iles to be fi	iled / in	From (Feet)	To (Feet)		
ich the	well is locat	ted, last	copy to	be retained becable, so state	by driller.		5	3	Joek	
n may	be returned.									4
	thilds HA					ļ	3	1	grave	<u> </u>
ner 📜	essent !	THE O		For Admin	istrator's Use				well	8
_	Box	703		Fil # 3026		1 1				
				File302.6	<b></b>					
hre	e Fork	3		May 12,1978	2 /13350					
				111.4.1.1.1.1.1.1.1.1.1	CPZ-NCY (Labore Nat.)	(Jac				
e well	started	460		GW 1						
com	npleted/9	<u>E8</u>						<b></b> -		
	eil 201		•							
e of w	ell			ug, driven, bored o	or deilled					
• <b>-</b> - •			•		<b>-</b>					
pment	usea	/		Churn drill, rotary	Or other)					
ar ilsa	- Domestic	NA.	wicipal C	] Stock [	Irrigation	l l				
ei Ose	: Domestic		merbar E	) 310CK ()	irrigation					
Ind	ustrial 🗍	Drainace	• 🗆 0	ther □* C	Sarden/Lawn				<b> </b>	
			· •		2000117 201011			ļ		
scribe				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				ļ		سه الله ويده هذه في بينتا فيهيد خالته وي.
i if us	ed for irric	aation, inc	dustrial.	drainage or	Other Expl	lain				
state	number of	acres and	location	or other date	a (i.e. Lot, B	lock				
		£ 12	(	Block 1st 74	41			-	<del></del>	
and	Addition).				i iz					
		AUTHORAN		ISA M	we To	urs		<b></b>		
IWAI SL	ANNUAL Y	AALIHOKAA	WAL		•••			<b>+</b>		
سرور بالأربي								1		
ize of Filled	Size and Weight	From (Foot)	To (Feer)	PI	ERFORATIONS			-		
ize of Prilled Hole	Size and Weight of Casing		To (Feet)	Kind	From	To				
ize of Prilled Hele	Weight		Te (Fee)			To (Feel)				
ize of brilled Hole	Weight		To (Fee)	Kind	From	To (Feet)				
ize of brilled Hole	Weight		To (Fee)	Kind	From	To (Foot)				
ize of orilled Hole	Weight		Te (Fee)	Kind	From	To (Foot)				
ize of orilled Hole	Weight		To (Fee)	Kind	From	To (Feel)				
ize of Frijing Hole	Weight		To (Feet)	Kind	From	To (Foot)				
Size of Orillad Hole	Weight		To (Fost)	Kind	From	To (Feet)				
ize of Orilled Hole	Weight			Kindt Sizer	From (Feet)	(Foot)				
ize of Prilled Hole	Weight of Casing			Kindt Sizer	From (Feet)	(Foot)				
ine of Orified Hole	Weight of Casing		Sta	Kind Size	From (Fred)	(Foot)				
ine of Orified Hole	Weight of Casing		Sta Pur	Kind Size tic water leven noing water 700	From (F-et)	(Feet)ft.* er minute,				
ize of Ornited Hole	Weight of Casing		Sta Pur	Kind Size	From (F-et)	(Feet)ft.* er minute,				
ize of Prijied Hole	Weight of Casing		Sta Pur at me	tic water levenging water 700 asured 20 rgan.	el	ft.* er minute, pumping				
ize of Frilled Hole	Weight of Casing		Sta Pur at me bec	tic water lever many water 700 asured 22.r	el (Feet)  el / 9  level / 9  igallons per  minutes after	ft.*ft.* er minute, pumping				
ize of reflied Hole	Weight of Casing		Stal Pur of me beg	Kind Size  tic water leven ping water  700 assured 20. r gan. easured from all developed	el	ft.* ft.* er minute, pumping				
ine of Orifled Role	Weight of Casing		Stal Pur of me beg	Kind Size  tic water leven ping water  700 assured 20. r gan. easured from all developed	el	ft.* ft.* er minute, pumping				
Ene of Ornited Hole	Weight of Casing		Sta Pur of me bec *M We for Pa	Kind Size  tic water leven ping water 900 asured 20 rgan. easured from the developed wer Clear.	el	ft.* ft.* er minute, pumping				
Size of Ornited Hole	Weight of Casing		Sta Pur of me bec *M We for Pa. Rer	Kind Size  tic water leven ping water 700 assured from the coloned wer were warks: (Grave assured from the coloned wer were the coloned the coloned the coloned were the coloned the coloned were the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the coloned the	el	ft.* ft.* er minute, pumping rel. J				
Hole	Weight of Carling	(Feet)	Sta Pur at me beg	tic water leven ping water 900 asured 20 rgan. easured from all developed wer Clear marks: (Grave kers, type of	el	ft.* ft.* er minute, pumping rel. / / / / / / / / / / / / / / / / / / /				
5, B1	Weight of Carling	(Feet)	Sta Pur at me beg *M We for Po. Rer pac	tic water leven ping water 700 asured 20 regan. easured from a developed wer Electronarks: (Gravekers, type of the set Adding	el	ft.* ft.* er minute, pumping rel. 1 HP				
S. BIJ	Weight of Cooling	w. Land	Sta Pur at me beg *M We for Po. Rer pac	tic water leven ping water 700 asured 20 regan. easured from a developed wer Electronarks: (Gravekers, type of the set Adding	el	ft.* ft.* er minute, pumping rel. 1 HP				
S. BII	Weight of Carling	w. Land	Sta Pur at me beg *M We for Po. Rer pac	tic water leven ping water 900 asured 20 rgan. easured from all developed wer Clear marks: (Grave kers, type of	el	ft.* ft.* er minute, pumping rel. 1 HP				
S, BL	Weight of Cooling  N  N  N  N  N  N  N  N  N  N  N  N  N	w. Land	Sta Pur of me bec M We for Pa Rer pac Co 1 1	Kind Size  tic water leven ping water 900 asured 20 regan. easured from lil developed wer level wer level from the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state o	el G level Q gallons pe minutes after ground lev by G hours. Pump el packing, of shutoff) hree Eori	ft.* ft.* er minute, pumping rel. J. HP ementing,				
S, Bli	N N R J. S. LOCATION	M. Land ec 25 Rast E	Sta Sta Pur of me become with the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t	tic water level per your asured from asured from asured from asured from arks: (Gravel kers, type of at Adding PLACE OF U	el G level Q minutes after ground lev by G hours. Pump el packing, of shutoff) hree Eori	ft.* ft.* er minute, pumping rel. J. HP ementing,				
S, BI	N R J. SUAR SOLOCATION ALL SQUAR	w. Land ec 25 gart E VI	Sta Pur if me bec *M We for Pa Rer pac Co 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tic water leven ping water 900 asured 20 regan. easured from all developed wer leven marks: (Grave kers, type of the Adding 1912 ACRES.	el G level Q minutes after ground lev by G hours. Pump el packing, of shutoff) hree Eori	ft.* ft.* er minute, pumping rel. J. HP ementing,				
5, BILLY TAN DICATE CH SM	N R J. SUAR SOLOCATION ALL SQUAR	w. Land ec 25 gart E VI	Sta Pur if me bec *M We for Pa Rer pac Co 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tic water leven ping water 900 asured 20 regan. easured from all developed wer leven marks: (Grave kers, type of the Adding 1912 ACRES.	el G level Q minutes after ground lev by G hours. Pump el packing, of shutoff) hree Eori	ft.* ft.* er minute, pumping rel. J. HP ementing,				
S, BI	N R J. SUAR SOLOCATION ALL SQUAR	w. Land ec 25 gart E VI	Sta Pur if me bec *M We for Pa Rer pac Co 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tic water leven ping water 900 asured 20 regan. easured from all developed wer leven marks: (Grave kers, type of the Adding 1912 ACRES.	el G level Q minutes after ground lev by G hours. Pump el packing, of shutoff) hree Eori	ft.* ft.* er minute, pumping rel. J. HP ementing,				
S, BI	N N R J. S. LOCATION	w. Land ec 25 gart E VI	Sta Pur if me bec *M We for Pa Rer pac Co 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tic water leven ping water 900 asured 20 regan. easured from all developed wer leven marks: (Grave kers, type of the Adding 1912 ACRES.	el G level Q minutes after ground lev by G hours. Pump el packing, of shutoff) hree Eori	ft.* ft.* er minute, pumping rel. J. HP ementing,				

# 3076

County of Gallatin

Filed

County of Gallatin

Filed

Carl L. Stucky

County Clerk & Recorder

By

County Clerk & Recorder

Fee \$ 200 Denuty



RECEIVED

#### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

## Fr. 0 15 1977 MONTANA WATER RESOURCES BOARDITANA DEPARTMENT OF NATURGITANES, Shale, sandstone, etc. Show NOTICE OF COMPLETION OF GROUNDWATER AND COMPLET VATION depth at which water is found and

APPROPRIATION BY MEANS OF WELL Developed after January 1, 1962

DRILLER'S LOG

Indicate the character, color, thickheight to which water rises in well.

(Under Chapter 237 Montana Session	Laws, 1961, as amended	Top of	Ground	(Elev. above sez level)	_
This form to be prepared by driller, a by the owner with the County Clerk a which the well is located, last copy to	nd Recorder in the county		To (Feet)		
Please answer all questions. If not appl	· · · · · · · · · · · · · · · · · · ·	the O	3	Soil	
form may be returned.  Mathilds HAGER	<del></del>		75	Graves	
Owner CERTAIN AND AND AND AND AND AND AND AND AND AN					
	FOR Administrator 5 Use		30	Water	
Address 50x 793	File#3025			ب سند شدر برب سند بها البيد نبيات بين بيت البي يات بين بيت البي يوالد بي والكاف ورينس الرياض برينات برينات الرياض ال	
Three Forks	May 12,1972 10:30 au	<i>n</i> .			
Date well started	GW 1			د ۱۳۵۰ شد. شده شدید شکه میک ۱۳۵۰ شده سید شده سید با بدور می در در در در در در در در در در در در در	
campleted					
Type of well Linear	Dug, driven, bored or drilled)			خلک اللہ اللہ بات بات بات بین ماک دیک اللہ اللہ ہے۔ بات بین بات بین بات اللہ اللہ اللہ اللہ اللہ اللہ	
Equipment used					 
Water Use: Domestic Municipal	•			ک بات بنات ہیں جی بنات ہیں۔ انات جی ان ان جی بنات ہیں تا ان بنات ان ان ان ان ان ان ان ان ان ان ان ان ان	
	<u> </u>				
Industrial 🔲 Drainage 🗍 C	Other []* Garden/Lawn				
*Describe	***************************************			د ۱۰۵ تا این بین نیس کنام میش کان میش می می بین بین بین م <sub>ی ب</sub> ین م	
USE: If used for irrigation, industrial, state number of acres and location	drainage or other. Expl	ain,			
and Addition). Lit 5 on					
mil. Co. 2st					
ESTIMATED ANNUAL WITHDRAWAL	7/014 . 00004				
Size of Size and From To Drilled Weight (Feet) (Feet)	PERFORATIONS				
Hole of Casing	Kind From	To (rest)			
1					
		_			
N	9				
Si	atic water level	ft.*			
	900 gallons pe				
	easuredminutes after	pumping			
w	egan. Measured from ground levi	el.			
	ell developed by Que	1 -			
Po	owerhours.	2 HP			
Re	emarks: (Gravel packing, co	ementing,			
ot 5, Bik 41, Hilm. Land Co's 1	sckers, type of shutoff) t Addn. Three Forks	<b>A</b>		<del> </del>	
Block 41 1/4 lot 5/4 Sec 25	Grave				
TAIN NR. Least E	ills are 25 ft ops				
INDICATE LOCATION OF WELL AND EACH SMALL SQUARE REPRESENTS 40	PLACE OF USE, IF POSSI	1			
Driller's Signature Henry H	gê1			<del>  </del>	
Driller's Signature Henry Henry Driller's Address as a	box				
	HICENICE NIC	_2	07	Show exact depth of bottom	

#3075

State of Montana County of Gallatin Ss.

Filed // 2, 19 72

at /0.30 o'clock a.M.

Carl L. Stucky

County Clerk & Recorder

Resement  (Elev. above sea level-1680.)  Rolice of Completion of Groundwater Appropriation by Means of Well  (Under Chapter 237, Montana Session Laws, 1951)  (Where Chapter 237, Montana Session Laws, 1951)  (Where Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Which Chapter 237, Montana Session Laws, 1951)  (Church Address Town of Groundwater April 23, 1948)  (Church Address Town of Church Indicates April 10, 1948)  (Church Address Town of Church Indicates April 10, 1948)  (Church Address Town of Church Indicates April 10, 1948)  (Church Address Town of Church Indicates April 10, 1948)  (Church Address Town of Church Indicates April 10, 1948)  (Church Address Town of Groundwater April 23, 1948)  (Church april 10, 1948)  (Church Address Town of Groundwater April 23, 1948)  (Church april 24, 1948)  (Chur	DUPLICATE  Top of Groun		ED	RATOR OF	T 2/ I County S MONTANA GROUNDWAT ATE ENGINER	allati	
Comment   Content   Comment   Content   Comment   Content   Comment   Content   Cont	(Elev. above se	ea level 4080		-			
Driller. North.  Address. Morel.  Address. Apple Date Completed Morel.  Address. Alexander Stock, 1148.  Bull. Address. Alexander and Morel.  Address. Morel.  Address. Address. Alexander and Morel.  Address. Alexander Agrilland, 1148.  Address. Alexander Agrilland, 1148.  Address. Alexander Agrilland, 1148.  Address. Alexander Morel.  Address. Alexander Agrilland, 1148.  Address. Alexander Morel.  Address. Alexander Morel.  Address. Alexander Morel.  Address. Alexander Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Morel.  Address. Alexander Morel.  Address. Alexander Morel.  Address. Alexander Morel.  Address. Alexander Morel.  Address. Alexander Morel.  A	Basemen	± .	(Under Cha	pter 237, Mor	ntana Session I	aws, 1961)	ent.
Date of Notice of Appropriation of Groundwater April 21/918  Date well started Much 2 1/918 Date Completed Mescal 4, 18 18  Type of well Driver 1	- d			Ely Sore	Audress 716	ritana	59752
Type of well **Direct**   Equipment Used **Direct**   General Column**, dury of chiled (dug. driven, bored or chiled)   Churn, drill, rotary of chiled (dug. driven, bored or chiled)   Stock   Irrigation   Municipal   Stock   Irrigation   Trigation   Trigatio	6	,					
Type of well Direct Sequence of Churn, drill, rotary of drilled)  Water Use: Domestic   Municipal   Stock   Irrigation   Industrial   Drainage   Other   Trigation   Irrigation   Ir	Height	WaterRise Date o			_	_	•
Water Use: Domestic   Municipal   Stock   Irrigation   Industrial   Drainage   Other   Stiff Industrial   Drainage   Other   Stiff Industrial   Drainage   Other   Stiff Industrial   Drainage   Other   Stiff Industrial   Drainage   Other   Stiff Industrial   Drainage   Other   Stiff Industrial   Other   Ot	- THE THE	,		_	-	- •	
Industrial Drainage Other Strate on the diagram: the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.    Bottomof   Street and weight of which the water rises in the well.	3	(dug	, driven, bored o	Eq	(Churn, drill,	rotary or	Bar
strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.    Static Water Level for non-flowing We known for Well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in the well.   Shut-in Pressure for Flowing Well work of well with the water rises in t	- 3	Water	_				rigation 🔀
Static Water Level for non-flowing We known for the well.  Static Water Level for non-flowing well mountains of melling with restriction of place of use of groundwater if not at well, and any other similar pertinent information, including manber of small square represents 10 acres.  Show exact depth of bottom.  Size and water is encountered, thickness and character of water size and height to which the water rises in the well.  Size and water level of the water is encountered, thickness and character of water size in the well.  Size and continued to which the water rises in the well.  Show the water is encountered, thickness and character of water is encountered, thickness and character of water is encountered, thickness and character of water is in the well.  Show exact depth of bottom.  Size and continued in the well.  Size and continued in the well.  Show the size and continued in the well.  Show the size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and counter rises in the well.  Show the water is encountered, thickness and character of water is encountered, the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and continued in the well.  Size and co	_2						
Static Water Level for non-flowing We information of mells  Well 204.  Static Water Level for non-flowing We information of mell  Pumping Water Level.  Discharge in gal, per min. of flowing well Not Alauring.  How Tested Meaning, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on Tell  NEV. Sec 25 TANRIE  Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.	- 3	etc. Sh	ow depth at whic	h water is en	countered, thic	kness and cl	haracter of
Static Water Level for non-flowing We known Local Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of small square represents 10 acres.  Show exact depth of bottom.	- द			Frem	70	PERFORATION	
Static Water Level for non-flowing Well non Pressure  Pumping Water Level 12 feet at 12 gal. per minute.  Discharge in gal, per min. of flowing well Not Illuming  How Tested Measured Length of Test I form  Evaluation of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on total  NEVA Sec 25 T 2N R I E Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.	1 0 7/2	Drilled	Casing Casing	4 2		From (Feet)	To (Feet)
Static Water Level for non-flowing Well non Pressure  Shut-in Pressure for Flowing Well non Pressure  Pumping Water Level 12 feet at 12 gal. per minute.  Discharge in gal, per min. of flowing well not I forming  How Tested Measured Length of Test for a swell, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on tot well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on tot  NEW Sec 25 Tan RIE Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.	N. 0020	44.	sur pipe	burlact of	llom yinch	floor	2040 Bottom
Shut-in Pressure for Flowing Well To Pressure  Pumping Water Level 12 feet at 125 gal. per minute.  Discharge in gal, per min. of flowing well Not Ilonary  How Tested Measured Length of Test Ilonary  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on to acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation including number of acres irrigated, if used for irrigation irrigated irrigated irrigated irrigated irrigated irrigated irrigated	1		14-67	Bottom 7	all four	Insfact	ofwell
Shut-in Pressure for Flowing Well To Pressure  Pumping Water Level 12 feet at 125 gal. per minute.  Discharge in gal, per min. of flowing well Not Illuming  How Tested Measured Length of Test Illuming  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on tell  MEYA Sec 25 TON RIE  Indicate location of well and place of use, if possible. Each small square represents 10 acres.  The 2 to Water Level 125 gal. per minute.  Month  Show exact depth of bottom.				Besendar			
Shut-in Pressure for Flowing Well To Pressure  Pumping Water Level 12 feet at 125 gal. per minute.  Discharge in gal, per min. of flowing well Not Blowing  How Tested Measured Length of Test 16 for Servel Packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Nell on tell  Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.  Show exact depth of bottom.	- 1	V C		) for one floor	Wa Ma	15-18	9 6001
Pumping Water Level		<del></del>					
Discharge in gal, per min. of flowing well Not Flowing  How Tested Measured Length of Test.  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Nell on Letter Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.						<b>A</b>	
How Tested Measured. Length of Test. Measured  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)  NEV. Sec. TANRIE  Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Mont.  Show exact depth of bottom.						•	
Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) N2LL on Letter Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.	-   w			_		. //	•
Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on Let Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.  Remarks: (Gravel packing, cementing, packers, type of shutoff, location of use of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on Let Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.	_	Н	low Tested	ela.	Length of Tes	st. / Mari	
other similar pertinent information, including number of acres irrigated, if used for irrigation) Well on Let Mo. 2 to Water Sarding and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.		R	emarks: (Gravel	packing, cen			
Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.  Total -1-3 Block 41 Ihree Forks.  Thorefore  The Drillie							
Indicate location of well and place of use, if possible. Each small square represents 10 acres.  Show exact depth of bottom.  Pro. 2 to Water Sanding nucleury  Lots 1-2-3 Block 41 Ihree Forks  Mont.  Show exact depth of bottom.		\$	acr∺s ir	rigated, if use	ed for irrigation	Well o	ntol
place of use, if possible. Each small square represents 10 acres.  Tota 1-2-3 Block 41 Ihree Forks  Moret.  Show exact depth of bottom.	NE4	Sec 25. Tan RIE	B12.2	to Wa	te Sara	man	Len
Show exact depth of bottom.  Show exact depth of bottom.							<b>.</b>
Show exact depth of bottom.  No Drille				3	7	LANEC	TOUL
Part 12 - 1 - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2	Show exact de	epth of bottom.	1 W TUR				
					Driller's Signa		**

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

44,071

EZIG

State of Montana
County of Gallatin County of Gallatin

Filed April 22 196

at 3:00 o'clock A

CARL L STUCKY

County Clerk & Recorder

By Belly Rose Griggs

Deputy

See \$ 2.00 pd 1968 oʻclock F.M.

1.

GW 2								
File No	) <u></u>				Т	$\hat{\mathbf{x}} = \mathbf{R} / \mathbf{I}$	سي	25
DUPLI	CATE	INTANA WATER IS	ESJUNUES BOAF	;	Cov	new Lall	latin	
<u></u>		RECE			OF MON			
	Top of Ground	Apr 2	ADMINIS	STRATOR OFFICE OF	OF GROU	ndwater co ngineer	ODE	
4	(Elev. above sea level	4080	Notice	of Comp	letion of	Groundwa	ier	
33	•		Appr	opriation	by Mea	ns of Well		حذرة
ŽŽ			(Under Cl	hapter 237,	Montana S	Session Laws,	1961) (	59752
23	. 14	Owner	W. Chraelji	Elouker	all Address	P. Q.BOX	IIZ La TXI	wit
*	_64	Driller	none	, 0	Addre	s more	e	
+	g It Hight wat	h fine Date o	f Notice of App	propriation	of Groundy	water apri	222	,1968
13	from Luy		rell started ?					
172	•	Type o	f well Drin	un	Equipmer	t Usedon's	ing B	ar
1.4	-12+t-		, driven, bored		(Churr other	n, drill, rotary	of	
13		Water	Use: Domestic	_	micipal [	Stock [	Irri;	gation 🔎
4			Industria		ainage [	Other [		
			dicate on the d met with in <b>dr</b>					
3		etc. Sh	ow depth at wl	hich water	is encounte	red, thickness	and cha	aracter of
#31		water-	bearing strata :	and neight	to which th	ie water rises	in the v	Well.
13		Size of	Size and Weight of	From (Feet)	To (Feet),	PERF	RATIONS	<del></del>
	atten of well	Drilled Hole	Casing	LH	20ft		Pees)	To (Feet)
	20ft from Lung	ice	Colonia	Surfec	delow	Kuinel 16	14	2014
		·	and of soft	or stan	D	Welles Re	واسمياه	Jacker
_			146	rt-	00	La	yed?	<i>p</i> -y
_				Barence	Trell			
-			· <del></del>	<del></del>				
_	N	s	tatic Water Le	vel for nor	a-flowing W	iel Below, La	eface	<b>%</b> feet.
. ,.		S	hut-in Fressure	for Flowi	ng Well	none	•••••	
-		P	umping Water	Level. 1.2	ff se	et at. 46	.gal. pe	r minute.
-			ischarge in gal	ner min	therfree	rell Half /	Parcel	•
	W		_			•	1	V
			low Tested	neg Ente	Leng	in of Test.	nous	<b></b>
		R	emarks: (Grav			, packers, type ndwater if not		
						ormation, inclu		
	\$	<del></del>	acres	irrigated. i	f used for i	rrigation) <b>W</b> &	llon	Lak
	NY 14 Sec 25					denando	•	
-	Indicate location of place of use, if pos					8 Block		
_	small square represen			•		•	760.1	40
-			Thus	rosks,		-		
لــــا	Show exact depth of b	ottom.			Drille	2000s. r's License Nu	Lle	1
					n	odril	ler	

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

44,072

### 2154

State of Montana
County of Gallatin

Filed April 22 1968

at 3:05 o'clock P.M.

CARL L STUCKY

County Clerk & Recorder

By Porty Rose Griggs

Deputy

Fee \$ 2600 pd

٠.	

Approved Stock Form-State Publishing Co., Helena, Montana-12234

	سم اسر
-	(رايهٔ

T-12-1	No.
r 110	INO.

DUPLICATE

T 2 N R /F County GallaTin

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

CHE 15 1964

### Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961)

FETT J. MERES	, of three Forks, it long	
(Name of Appropriator)	, of Three Forks, Mont.  (Address) (Town)  State of Montana  State of Montana	
County of (23/13/11)	State of /NCT/402  ng to the Montana laws in effect prior to January 1, 1962, as fol	lows
	ig to the monanta mas in terces provide betterny 1, 2000, the real	20
L L	2. The beneficial use on which the claim is based Irrigalian	Ċ
	Con mercial	., L
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	3. Date or approximate date of earliest beneficial use; and how e	onti
	ous the use has been 1952 - con Tinueus	
E		
	4. The amount of groundwater claimed (in miner's inches or	
	per minute) 100 921. per min	
	5. If used for imposition give the screene and description of the	n ler
<u> </u>	5. If used for irrigation, give the acreage and description of the to which water has been applied and name of the owner	ther
	NE14+NW14 Sec 25 T 21 R IE - S	ae
WV4 Sec.25 T2N R/F		
dicata point of appropriation	, 1000 turner 160 turner (1000 turner), possesses vergen en entertitud (1000 turner), per que en entertitud (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000 turner) (1000	
nd place of use, if possible. Each mall square represents 10 acres.	6. The means of withdrawing such water from the ground and the	he lo
• • • • • • • • • • • • • • • • • • • •		
	tion of each well of other methy of Arthuranathrape and	
drawal of groundwater 1952	tion of each well or other means of withdrawal. by pump wells: SE partian at described pre- pletion of the construction of the well, wells, or other works for	r wi
drawal of groundwater 1952	oletion of the construction of the well, wells, or other works for	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty	oletion of the construction of the well, wells, or other works for	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty	oletion of the construction of the well, wells, or other works for	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.	oletion of the construction of the well, wells, or other works for	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The estimated amount of groundwater.	pletion of the construction of the well, wells, or other works for one, size and depth of each well or the general specifications of an er 21' depth 2" casing	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The estimated amount of groundwater.	pletion of the construction of the well, wells, or other works for one, size and depth of each well or the general specifications of an er 2" depth 2" casing	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The estimated amount of groundwater.	pletion of the construction of the well, wells, or other works for one, size and depth of each well or the general specifications of an er 21' depth 2" casing	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The estimated amount of groundwater.	pletion of the construction of the well, wells, or other works for one, size and depth of each well or the general specifications of an er 21' depth 2" casing	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The estimated amount of groundwater.  The log of formations encountered in the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of	withdrawn each year 1,000,000, 92 per No.  withdrawn each well if available No.20  ature as may be useful in carrying out the policy of this act, including record 100,000,000,000,000,000,000,000,000.	r wi
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The log of formations encountered in the log of formations encountered in the log of the content of a similar in reference to book and page of any countered.	withdrawn each year 1,000,000 for the drilling of each well if available None  withdrawn be useful in carrying out the policy of this act, increased the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the sec	y ot
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The log of formations encountered in the log of formations encountered in the log of the content of a similar in reference to book and page of any countered.	withdrawn each year 1,000,000, 92 per No.  withdrawn each well if available No.20  ature as may be useful in carrying out the policy of this act, including record 100,000,000,000,000,000,000,000,000.	y ot
drawal of groundwater 1952.  The depth of water table 8.  So far as it may be available, the ty works for the withdrawal of groundwater.  The log of formations encountered in the log of formations encountered in the log of the content of a similar in reference to book and page of any countered.	withdrawn each year 1,000,000 for the drilling of each well if available None  withdrawn be useful in carrying out the policy of this act, increased the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the sec	y ot

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1221

State of Montana County of Gallatin ( ss.

Filed 12-30

County GLEK & RICOGRER

LEMA FILLES

DEPUTY

DEPUTY

DEPUTY

GW ,	Approved Stock Form—State Publishing Co., Helena, Montana—32234
File No	TZN RIE
DUPLICATE	County
STATE OF M	•
ADMINISTRATOR OF G	ROUNDWATER CODE
OFFICE OF STAT	ULIAN TE MEA
Declaration of Vested	Groundwater kignts
(Under Chapter 237, Monta	ana Session Laws, 1961) S AI = EHG.
1 HOWFRD GMCLEES,	THREE FORKS
(Name of Appropriator)	(Address) (Town)
County of GHLLAT S have appropriated groundwater according to the Monte	tate of
N	a
2. The benefic	tial use on which the claim is based fragalism
une	·
3. Date or ap	proximate date of earliest beneficial use; and how conting has been 1945 and unit
	by for image the
*	
	it of groundwater claimed (in miner's inches or gallon
per minute	1000 gallons per minute
5. If used for to which v	r irrigation, give the acreage and description of the land water has been applied and name of the owner there
20 do	en fardens of my and
NEL	tree Wind theat
Indicate point of appropriation and place of use, if possible. Each	VER HOWARD MELLES
amall square represents 10 acres. 6. The means	of withdrawing such water from the ground and the loc
tion of each	h well or other means of withdrawai wef of
7. The date of commencement and completion of the co	nstruction of the well, wells, or other works for wit
drawal of groundwater of drawing one	hay well conflited 1944
	1
8. The depth of water table Z	
D. So for as it may be smileble the type size and don	ith of each well or the general specifications of any oth
works for the withdrawal of groundwater 2 me	(s driver 2 an market 2/
ally har het 20 lt lied	sha pipi to ftdis
T	
10. The estimated amount of groundwater withdrawn each	year millions of gallons
11. The log of formations encountered in the drilling of ea	ch well if available
11. The log of formations theoretical in the trivials of the	CH WED A SYMBOLIC TO A STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF
12. Such other information of a similar nature as may be	useful in carrying out the policy of this act, including
resented to fook and haffe of any county lecold	The party
My state I and aft the	acira
reference to book and page of any county record	alifu
	Signature of Owner State Top 1110765

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

1223

Stree of Montana | SS.
County of Gallacin | SS.
Fried 12-30

at 10:19
Carl Whiten RECREER

Fee 32

ONNAM SOUNCES FOARD  1 OF GROUNDWATER MEANS OF WELL many 1, 1962  See Live, 1961, as amended for advantance to first such as sell, day, send, gravith, their, sendition, etc. Show depth at which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its found and height to which water its many i	Clack for an		2 h	County Gallaties
MEANS OF WELL  many 1, 1962  for under the corpies to be filled  for and three corpies to be filled  for and three corpies to be filled  for Administrator's Use  for Administrator's Use  file 23.55  Date well stande  Type of well  Marter Use Domestic  Municipal  Tope of well  Tope of well  Tope of well  Municipal  Tope of well  Tope of shorth  Tope of	Carlier filling	ONTANA OUNDWATER CODE	ness of	e the character, color, thick- f strata such as soil, clay, sand,
ar, and three copies to be filled k and Recorder in the county in a completed is and Recorder in the county in a completed in the county in a completed in the county in a completed in the county in a completed in the county in a completed in the county in a completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the completed in the complete in the complete in the completed in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the complete in the com	#2351	MEANS OF WELL	depth	at which water is found and
k and Recorder in the county in the county in to be retained by diffile applicable, so state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, otherwise the splitcable, state, sta	This is evidently			(Eler. above sea level)
For Administrator's Use   For Administrator's Use   For Administrator's Use   For Administrator's Use   For Administrator's Use   Filip 23.5/2   For Administrator's Use   For Administratory Use   For Administratory Use   For Administratory Use   For Administratory Use   For Administratory Use   For Administratory Use   For Administratory Us	<b>4</b> - 1 -	k and Recorder in the county in to be retained by driller.	(Feet) (Feet)	top soil
Date well started Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic Topic	a setties number		₹/ <b>2</b> 3	fine Sand
Date well started Trype of well Completed Sunt (Pog. direc, bored or dilled)  Type of well Comment (Pog. direc, bored or dilled)  Equipment used (Cam edit rotate or other)  Water Use: Domestic   Municipal   Stock   Irrigation   Industrial   Drainage   Other   Garden/Lawn    **Describe   Other   Garden/Lawn    **Describe   Other   Garden/Lawn    **Describe   Other   Formation   Garden/Lawn    **Stephanous   Garden/Lawn    *	by law added on	For Administrator's Use	9_	to water level
Date well started	Clarget?	111		
Completed Summe  Type of well William  Equipment used Class fills rotary acober  Water Use: Domestric Municipal Stock Irrigation Industrial Drainage Other Garden/Lawn  **Describe**  **Describe**  **Describe**  **Industrial Drainage Other Garden/Lawn  **Describe**  **Industrial Drainage Other Garden/Lawn  **Describe**  **Industrial Drainage Other Garden/Lawn  **Industrial Drainage Other Garden/Lawn  **Industrial Drainage Other Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Industrial Garden/Lawn  **Indust	Date well started			
Type of well	7			
Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static water level   Static	Type of well Kriven			
Water Use: Domestic   Municipal   Stock   Irrigation   Industrial   Drainage   Other   Garden/Lawn   *Describe   Garden/Lawn   *USE: If used for irrigation, inclustrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition)   March West   A substitute   *SIMALE DANIULAL WITHDRAWAL   Sim   Glock   **Simal State of Caraba   Simal Report   State				
Industrial   Drainage   Other   Garden/Lawn    *Describe   USE: If used for irrigation, industrial, drainager or other. Explain, state number of acres and location of other data (i.e. Lot, Block and Addition)   Authority		l l		
USE: If used for irrigation, inclustrial, drainage or other. Explain, state number of acres and location of other data (ie. Lot, Block and Addition). While Will addition of the transport of the transport of the transport of the transport of the transport of the transport of the transport of the transport of the transport of transport of the transport of the transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport of transport	Industrial Drainage			
USE: It used notor irrigation, industrial, draining or other, Explain, state number of acres and location or other data (i.e. to, Block and Addition) Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addition   Addi	*Describe			
and Addition) MANA WANT A SUBJECT OF USE, IF POSSIBLE.  ESTIMATE ANNULL WITHDRAWAL  Star of Store and From Two Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static water level Office of Static wate	USE: If used for irrigation, inclu- state number of acres and lo	strial, drainage or other, Explain, ocation of other data (i.e. Lot. Block		
Static water level Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rele of Casting Performance Rel of Casting Performance Rel of Casting Performance Rel of Castin	and Addition) Worth U	est Ros 1 st adeition		
Static water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 9 ft.*  at 3 gallous per minutes  at 4 ft.*  gallous per minutes  measured minutes after pumping  began.  "Measured from ground level.  Well developed by  for 1 hours.  Power. Pump  Remarks: (Gravel packing, cementing, packers, type of shutoff)  I A N R E  INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature For Measured  Driller's Address  As Above  Table 1 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 8 ft.*  Pumping water level 8 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*	ESTIMATED ANNUAL WITHDRAWA	8 m / Flock 7		
Static water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 9 ft.*  at 3 gallous per minutes  at 4 ft.*  gallous per minutes  measured minutes after pumping  began.  "Measured from ground level.  Well developed by  for 1 hours.  Power. Pump  Remarks: (Gravel packing, cementing, packers, type of shutoff)  I A N R E  INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature For Measured  Driller's Address  As Above  Table 1 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 7 ft.*  Pumping water level 8 ft.*  Pumping water level 8 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*  Pumping water level 9 ft.*	Size of Size and From Drilled Weight (Feet) Hole of Canting			
Static water level		Kind From To Size (Feet) (Feet)		
Static water level				
Static water level				
Static water level				
Static water level				
Pumping water level  at A gallous per minute,  at A gallous per minute,  measured minutes after pumping  began.  *Mensured from ground level.  Well developed by  for hours.  Power Let Pump. 13 HP  Remarks: (Gravel packing, cementing,  packers, type of shutoff)  I. A Secrit  INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature  Driller's Address  As About  The pumping water level  Well developed by  for hours.  Pump. 13 HP  Remarks: (Gravel packing, cementing,  packers, type of shutoff)  Driller's Signature  Driller's Address	26	9		
at %		Pumping_water level		
began.  *Mensured from ground level.  Well developed by  for hours.  Power. Pump. /3 HP  Remarks: (Gravel packing, cementing, packers, type of shutoff)  NR. Sec? 5  INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature Jac Meuler  Driller's Address  As about		at XIgallous per minute,		
Well developed by forhours. Power		began.		
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature  Driller's Address  Forhours.  PowerPump. / 3 HP Remarks: (Gravel packing, cementing, packers, type of shutoff)	"			
Remarks: (Gravel packing, cernenting, packers, type of shutoff)  Note of shutoff  Note of shutoff)  Note of shutoff  Not				
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature for Meules  Driller's Address  As above  2015		•		
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature for Meulen  Driller's Address above		packers, type of shutoff)		
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature for Meuler  Driller's Address above	<del>-</del>	Gravel		
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  EACH SMALL SQUARE REPRESENTS 40 ACRES.  Driller's Signature for Meules  Driller's Address above	1 2 NR / E			
Driller's Signature for Meules  Driller's Address  Cas above	<del>\$</del> •			
20-11		and place of use, if possible.		
20-11		TS 40 ACRES.		
20-15	Driller's Signature Jac	- I		
THE NAME OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PA	Driller's Signature	- I		

Attack To # 235/ lo Correct section 200.

State of Montana County of Gallatin State 3

county Clerk & Recorder

By Levelle (T. Level)

Deputy

GW 2		-	Approved	Stock Form	—State Publish	ing Co., Helena,	. Montana - 423	29 3
File No.						216 R.	Œ	15
DUPLIC					G	Gall	atin	
Bormo	1.00 -	STATE OF MONTANA						
			ADMINISTR			NDWATER NGINEER	CODE	
	Top of Ground	NOV SU	ice of C				. ndů s	tor
<u> </u>	(Elev. above sea level		Appropri					:C1
<u> </u>	- المسلمين ا بينا مسمر يب					UARY 1,		
_	Sandy clay with		(Under Chap	ter 237,	Montana S	Session Lav	rs, 1961)	
	6.0*	O W 11C1	a Highway	***********		A3C3		
- 1	Sandy gravel	Driller Sonta	na Highway	Depart	Addre	ss.Helena,	Hontana	<u> </u>
		Date of Notic	ce of appropr	riation of	groundwa	ter Hovent	er 6, 19	68
		Date well star	rted November	er 1, 19	968 Date	completed	November	5, 1968
		Type of well	Brille	~~~~~~~~	Equipm	ent used	Rotary i	mi)l
_		(Dug, Driver	n, bored or dri Domestic		(Churr nicipal []	ı drill, rotarı Stock		gation [
-		Water use:	Industrial	I Dr	ainage 🗍	Other	· <b>X</b> I	
<u> </u>	16.0*	Indicate met with in	Maintena on the diagra drilling, such	m the chi	aracter and	l thickness gravel, ro	of the diffe	erent strata etc. Show
	Gravel and	droth at which strate and he	ch water is er	countere	d, thicknes	s and char	cter of wa	tov-bearing
	cabbles	Size of	Size and	From	To		ERFORATION	Je
		Drilled Hole	Weight of Casing	(Feet)	(Feet)	Klod	From	To
		7-7/8*	6#ID	0.0*	41.0	Size	(Feet)	(Feet)
-		•	18.9 lbs. per ft.		(1°stic	1/8"x 6"	18.0*	38-6
-			ber Ite		ab)			
-								
-	<b>a. a.</b>							
	24.0° Grey clayey	<u></u>	א 3	s	tatic Wat	er Level :	for non-flo <b>5.0</b>	owing well
	gravels				hut-in Pre	ssure for F	**************	
<u> </u>						Vater Leve		
-		w		-  E _		gal	-	
-	29.0*				ischarge i	n gal. per	_	owing well
	Gravel and cobbles with			E	low Tested	Air bl		***************************************
	some clay	<u> </u>	<u>i</u>	_	ength of T	rest2	pone	·*************************************
			3			Gravel pac		4
	NEX of NE		25 T. 2N H	1. Iti.		shutoff) WALYSIS		<del> </del>
		place of use, small squar	if possible.	Each Ph		8. zin Alka		12
	35.0*	acres.	e representa	He	thyl Ore	ige Alka	linity 2	47ррж
_	Blue clay	***************************************		CO To	2 tal bard	ness	29	one 92 ppm
_		USE_If use	d for irrigat	tion indi	ustrial de	•		everse side)
-	<b>10.00</b>	numbe	r of acres an	d locatio	n or other	data (i.e.:	Lot, Block	and Addi-
	40.0*	•	ray Departm	ent Mai	ntenano	e House w	ater sup	bjà
	Show exact depth of bottom.	***************************************		***********	······································			************
				***********		***************************************		
	n to be prepared by driller, and three cop					required		
	lierk and Recorder in the county in which				2	r's License		
	by writer.				/	fencan	- 12 1	

returned.

Driller's Signature

Materials Engineer

44,786

#2203

State of Morntana ; County of Gallatin
County of Gallatin
Filed November 15 19 68
at 8:00 o'clock AM.
GARL L. STUCKY
County Clerk & Recorder
outwick a Mafeely
Deputy

RECEIVED County th

### DRILLER'S LOG

Indicate the character, color, thick-MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER

ADDRODDIATION RY MEANS OF WELL

MONTANA WATER RESOURCES BOARD

ADDRODDIATION RY MEANS OF WELL

MONTANA WATER RESOURCES BOARD

ADDRODDIATION RY MEANS OF WELL height to which water rises in well.

STATE	OF	MONTANA	
<b>ADMINISTRATOR</b>	OF	GROUNDWAT	ER CODE
NW ANATHOM	TER	RESOURCES	BOARD

## APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

	501	nopeo cu		, ,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
(Under C	hapter 237	Montana	Session	Lancos, 1961	, as amend	led)	Top of	Ground	(Elev. above sea level)	
This form	to be prep	ared by o	driller, ar	nd three co	pies to be	filed	From (Feet)	To (Feet)		
which the	<b>ner</b> with th well is loca	e County sted, last o	copy to b	d Recorder be retained	in the cour	nty in	1	3	l'opeoil	
					ite, otherwis	se the	7	टर्म	stity a md and grevels	
formemyC								1	clay	
							:33	40	and a gravel	
Owner	11	L 10L	301	For Admi	inistrator's L	lse				<u> </u>
Address				222	3					
				_						
	ontaga			April 3	20,197	3			ر الله الله الله الله الله الله وإنه الله الله الله الله الله الله الله ال	
					ca.p.m					
					•	i		£		
com	pleted	-15-73		**********			}			
			_							
Type of we			(De	g, driven, bored	l or drilled)					
Equipment	used	Catle	Tool							
zqo.pc			(C	burn drill, rota	ry or other)		}	<del> </del>		
Water Use:	Domestic	Mur	nicipal 🗌	Stock [	] Irrigati	on 🗌				
		_				_				
Indu	ustrial 🔲	Drainage	□ 0	her 🔲*	Garden/Lav	wn 🔲				
*Describe										
					r other. Ex					
state	number of	acres and	location	or other da	ita (i.e. Lot,	Block				
amal 6	١ - ا - ا - ا									
ar.o >	saamen)		**************							
ESTIMATED	ANNUAL Y	WITHDRAV	VAL	• • • • • • • • • • • • • • • • • • • •		*******				
Size of Drilled	Ske and	Free	Te	T						
Drilled Hole	Size and Walght of Casing	(Feet)	(West)		PERFORATION					
Çn	17#	+1	30° 1'	Kind	(Feet)	(Feet)				
Su		12 2	,	1						1
					}	ł				
							<u></u> -			
							(			
	N		<b>6</b>		vel5			<del>-</del>		
	ļ				r levelg		,	<del></del>		
			at .	20	gallons	per minute.				l
					.minutes aft					
	L		beg					ļ	·	
	×		- */ <b>/</b> /	easured fro	m ground I d by	evel.		<b></b>		
			for	1	hours.					•
					Pump	HP				
					vel packing,	-				Į.
	5			kers, type o	of shutoff) .			<del> </del>		ĺ
<b>15.</b> 15.	医¼ Se N R 工音	25						<b></b>		}
1.2	N R	ì E						i		Ì
	X 8	I W					<u> </u>			1
INDICATE	LOCATION	OF WELL	AND P	LACE OF (	JSE, IF POS	SSIBLE.		<del></del> -		ł
	LL SQUARE							<del> </del>		1
nation of the		11	1 2	, . ** =						1
urmer's Sig	gnature			مستكدات المهج	-					
Driller's Ac	ldress			rd imil	<u>ه</u> وشيد			-o		<u> </u>
Secretar .	A. maria	ABL SE	than		530 53			~	Show exact depth of bottom	

## \* 3223

State of Montana   County of Gall-ding	95. O 19 78
3:00	P.M., and
Recorded in book	ø
	7009
County	Clark & Recorder
Carl L St.	
By Elara 4	Hall sypul
Ess Sylvania	aid

This form to be prepared by driller, and three copies to be filed by the swaer with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature.

44180

# 2762

State of Montana County of Gallatin Carl J. Stacky

Carl J. Stacky

#### MONTANA WATER RESOURCES BOARD Groundwater Division Mitchell Building Helena, Montana 59601

GW 1, Notice of Appropriation of Groundwater  X GW 2, Notice of Completion of Groundwater Appropriation by means of Well  GW 3, Notice of Completion of Groundwater Appropriation without Well  GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)  Was forwarded to this office by the County Clerk and Recorder.  This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GV form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	X GW 2, Notice of Completion of Groundwater Appropriation by means of Well  GW 3, Notice of Completion of Groundwater Appropriation without Well  GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)  was forwarded to this office by the County Clerk and Recorder.  This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provice information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	K	ecenciy a c	Toby or a g					
means of Well  GW 3, Notice of Completion of Groundwater Appropriation without Well  GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)  was forwarded to this office by the County Clerk and Recorder.  This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	means of Well  GW 3, Notice of Completion of Groundwater Appropriation without Well  GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)  was forwarded to this office by the County Clerk and Recorder.  This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Picase complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.		GW	l, Notice	of Appropriat	ion of Ground	iwater		
Well  GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)  was forwarded to this office by the County Clerk and Recorder.  This form is identified by  9 S. 5th Ave. E.  Owner Dean and Lyla Schedel  Location T. 2N., R. 1E., Sec. 25  Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	Well  GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)  was forwarded to this office by the County Clerk and Recorder.  This form is identified by  9 S. 5th Ave. E.  Owner Dean and Lyla Schedel  Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.		X CW			of Groundwa	er Appropri	ation by	
obsolete and was limited by law to use only through 1965)  was forwarded to this office by the County Clerk and Recorder.  This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.	obsolete and was limited by law to use only through 1965)  was forwarded to this office by the County Clerk and Recorder.  This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.		GW		of Completion	of Groundwa	er Appropri	ation wit	houč
This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	This form is identified by 9 S. 5th Ave. E.  Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.		GW						
Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	Owner Dean and Lyla Schedel Address Three Forks, Montana 59725  Location T. 2N., R. 1E., Sec. 25 Document No. 2262  The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	was for	warded to t	this office	by the Count	y Clerk and R	Recorder.		
The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Picase complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.  X The form is incomplete. Picase complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	Th			*	-			<u>59725</u>
X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	X The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.		Location	n T. 2N., F	R. 1E., Sec. 2	. <u>5</u> Docu	ment No	2262	-
formation where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	formation where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.  Please provide information concerning static water level, pumping water level, amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.								m has
amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	amount of water withdrawn in gallons per minute.  Other.  County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.	for	rmation who	ere indicat	ted, or as not	ed here and	•		-
the Montana Water Resources Board in Helena.	the Montana Water Resources Board in Helena.	P1:							
		Am	ount of was		awn in gallons				
USE—If used for irrigation, industrial drainage or other Explain		Ot!	her.	ter withdra	mation is miss urces Board in	ing. Please Helena.	forward th	is informa	tion to
USE If used for irrigation, industrial, drainage or other. Explain, number of acres and location or other data (i.e.: Lot, Block and tion).	number of acres and location or other data (i.e.: Lot, Block and sion).	Ot!	her.	ter withdra	mation is miss urces Board in USE—If used f number o	ing. Please Helena.	forward th	Continue nage or other ata (i.e.: Lot	on reverse
USE—If used for irrigation, industrial, drainage or other. Explain, number of acres and location or other data (i.e.: Lot, Block and	Interest of acres and location or other data (i.e.: Lot, Block and sion).  The first three later was the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of	Conthe	ner.  Sunty recorded Montana	ding informater Reson	mation is miss urces Board in USE—If used f number o	ing. Please Helena.	forward th	Continue nage or other ata (i.e.: Lot	on reverse
USE If used for irrigation, industrial, drainage or other. Explain, number of acres and location or other data (i.e.: Lot, Block and sion).  The first the literal language of the control of the language of the control of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of the language of t	Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Show exact depth of bottom.)	Show exa	nount of washer.  Sunty recorde Montana see  ding informater Resonant Mater Resonant Mater Resonant Mater Resonant Mater Resonant Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material Material	USE If used for number of sion).  The first to be filed by the	or irrigation, in a decreased to the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the lease the	forward the	Continue nage or other ata (i.e.: Lot	on reverse	
Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth	Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  The state of acres and location or other data (i.e.: Lot, Block and Location).  The state of acres and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e.: Lot, Block and location or other data (i.e	Show examine to be prepared and Remainder.	nount of washer.  Sunty recorde Montana see  ding information water Resonant three copies outly in which is	USE—If used in the self is located, the well is located,	or irrigation, ir f acres and local	forward the deduction or other described for the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the de	Continue mage or other nata (i.e.: Lot	on reverse r. Explain, Block and	
Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.	Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  Show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth of bottom.  The show exact depth	Show examine to be prepared and Remainder.	nount of washer.  Sunty recorde Montana see  ding information water Resonant three copies outly in which is	USE—If used in the self is located, the well is located,	or irrigation, ir f acres and local	forward the deduction or other described for the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the description of the de	Continue mage or other nata (i.e.: Lot	on reverse r. Explain, Block and	

			Approved Stock Fo	rm—State Publishing Co., Helens, Montana—45642
,	0	MONTAGE	LER RESULTIES BOARD	TONRIE
		REC	EIVED	County Sillatin
		LOG FE	1 1 13/0	e of montana of groundwater code
		Top of Ground		F STATE ENGINEER
and part of the		(Elev. above sea level 4070	•	oletion of Groundwater  n by Means of Well
•	_			AFTER JANUARY 1, 1962
		ail -A	(Under Chapter 237	, Montana Session Laws. 1961)
		74.	Owner I you Tylax	child the Fork, Mot.
	_ ]	water level Tight	Driller Jelf	Address
	_	Mande	Date of Notice of appropriation of	f groundwater
		+ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Date well started Ju. 70	168 Date completed Gra. 21, 1968
	_	and.	Type of well	Equipment used.
•	-			Municipal Stock Irrigation 2
;	-		Industrial ☐  Indicate on the diagram the	Drainage Other Control of the different strata
			met with in drilling, such as soil depth at which water is encounte	. clay, shale, gravel, rock or sand, etc. Show red, thickness and character of water-bearing
•	-		strata and height to which the wa	
	-		Size of Size and From Delified Weight (Feet) Hele of Cautug	(Feet) Find From To
:		211/4	din.	Fillio 18 / 31/1
	-		physical	Ti
	-		21/1	360
			long	Sies
. ! . <b>\</b> \{\pi_1}	-		N .	Static Water Level for non-flowing well
Ď				Shut-in Pressure for Flowing Well. No.
		2262	-	Pumping Water Level 2/ feet
:	<b> </b> -	Litua	ym = ==================================	at
*	-	75 8.00		Discharge in gal. per min. of flowing well
1		w		How Tested Linux I
i	-		\$	Remarks: (Gravel packing, cementing, pack-
	-		1/4 S. 25 TH RIE	ers, type of shutoff)
!			Indicate location of well and place of use, if possible. Each small square represents 40	Drive propaga
;	L		achs.	
: :	-			(Continue on reverse side)
			USE If used for irrigation, ir number of acres and locat	ulustrial, drainage or other. Explain, state
-			Afam)	the let, my les
*	-		7,6,45,120.6	6 Sie Thurst lower
1		Show exact depth of bottom.	Co let revile	on 10 Ther Koda
	This form	n to be prepared by driller, and three co	pies to be filed by the owner with the	Theilland Lineau North
ŀ	County C	lerk and Recorder in the county in which by driller.	h the well is located, tissue copy to be	Driller's License Number
	Piesse a	nswer all questions. If not applicable,	so state, otherwise the form will be	Driller's Signature.
	> WI IITU.	•		44180

	T2	N	R	
	County	Galla	tin	
MONTANA BUREAU OF MINE Butte, Monta	S AND GE na	OLOGY	DEC N <sub>SEP</sub>	EIVE D
water well	I.OG		STATE	ENGINEER
Owner John Smith  Driller Parker and Lower  Date Started August 27,196		Addres	s# <u>illow</u>	Creek, Mont.
Location: Sec. 25 T.			_	-
Type of well <u>Drilled</u> Equip	ment use	ed	Churn (Churn, aril)	, rotar; other;
Water use: Domestic 🗶 Municipal 🗌  Industrial 🗍 Drainage			_	
Casing: 0 ft. to 30 ft. Type				
Casing:ft. toft. Type			_Size	
Casing:ft. toft. Type			Size	
Perforated or Screened: Ft. 28 to ft.	30	Ft	to	ft
Type of screen or perforations Perforati	ons			
Static Water level, for non-flowing well:				
Shut-in pressure, for flowing well:	1b./	/sq. i	n. on:	(4150)
Pumping water level 9 feet at				
How tested: Drilling Rig Baler				
Length of testl hour				
Remarks: (Gravel packing, cementing, packe shut-off)	rs, type	e of s	hut-off,	depth of
(over)				

Log of Well

Do-th		
Depth, From	To	Description of Material Drilled
.0	A:	Top soil
4'	281	Sand and gravel
28'	32'	Blue clay
32'	34'	Sand and gravel
	By.	A Sta
	\$	Hatin 3
	8 18 60	1 - 1 - 3 C
	2 25	o Sana.
	10 D	S S
	2	C C C C C C C C C C C C C C C C C C C
	DELTA COM	8
	1 2 2	\$ -

-		h warning de l	Stock Form—St	ate Publishing	Co., Helena, Mc		<b>3</b>
		Approved	Jioca Fulli.	m i	<i>₹.U</i> R.A	E	26
***************************************		- 00		Co	unty GAL	LATIN	
CATE	MONTANA WATER RESOL	RCES BOARD	STATE 0	MONTA	NA		
	RECEI	ADMINISTI	RATOR OF	GROUN	DWATER C	ODE	
Top of Ground	OCT 18 1	Mn /				12.	_
(Elev. above sea leve		Matten of C	omple	ion o	Groun	idwate	
(Mey. above sea force		Appropr	iation	by Me	ans or	AAGII	
O to 2 Feet		(Under Char	pter 237, M	ontana Se	ession Laws,	1961)	
Topsoils		(Under Char	d/ Regii	Address	Box 393	hree Fo	rks, hont
	Owner	Potts Drilling				Boseman,	Montane
2 to 12 feet coarse overburden	Driller	POSCS DILLLA		Address			
COSLSE CASLAGRAM		f Notice of Approp	riation of (	roundwa	er		1067
o Feet. Static Water Leve	a Data t	vell started Sept	22, 1967	Date Co	mpleted	ept. 20 <sub>2</sub>	, 1301
DESTRUCTION NOTICE TO SELECT	Date v	of well drilled		Eaning	nent Used	cable	
	Type (dug	of well bored or	· · · · · · · · · · · · · · · · · · ·	(		or	
12 to 18 feet		led)		other			rigation 🚡
Sand and Gravels	Water	Use: Domestic		icipal [	Other [ Stock [		ngamon L
		Industrial		_			- different
18 to 27 feet		Indicate on the di					
CJSA		Table at which W	ot⇔ም 19 የክሮብ	nnereu. •	THENTES OF		r of water-
1	beari	ng strata and heig	ht to which	water ris	es in the we	!II.	
27 to 29 feet	Character of the second	1 Size and	From	To		erforation	43
27 to 29 feet Buff Shale	Size of Drilled Hole	Size and Weight of Casing	Front (Feet)		Elad	ERFORATION From	To (Feet)
27 to 29 feet Buff Shale	Drilled	Weight of Casing	(Fest)	To (Feet)	Kind Size	From (Feet)	To (Feet) 27
Buff Shale	Drilled Hole	Weight of Casing	(Fest)	To	Elad	ERFORATION From	To (Feet)
27 to 29 feet Buff Shale 29 to 42 feet Buff Shale	Drilled Hole	Weight of Casing	(Fest)	To (Feet)	Kind Size	From (Feet)	To (Feet) 27
Boff Shale	Drilled Hole	Weight of Casing	(Fest)	To (Feet)	Kind Size	From (Feet)	To (FeeD) 27
Buff Shale  29 to 12 feet Buff Shale	Drilled Hole	Weight of Casing	(Fest)	To (Feet)	Kind Size	From (Feet)	To (Fee) 27
Buff Shale  29 to 42 feet Buff Shale	Drilled Hole	Weight of Casing 6 I.D. 17# .250 Wa	(Feet)	10 (Feet)	Eind Size 3/813**	From (Feet) 29 20	To (Foot) 27 12
Buff Shale  29 to 12 feet Buff Shale	Drilled Hole	Weight of Casing 6 I.D. 174 .250 Wa	(Feet)	yo (Feet)	#Ind Size 3/8X3*	Prom. (Feet) 29 20	To Great 27 12
Buff Shale  29 to 12 feet Buff Shale	Drilled Hole 6W	Weight of Casing 6 I.D. 17# .250 Wa  Static Water Leve	el for non-fl	owing We	Eind Size 3/8X3**	From (Foot) 29 20	To Greeto 27 12
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Rime Shale	Drilled Hole 6W	Weight of Casing 6 I.D. 17# .250 Wa  Static Water Leve	el for non-fl	owing We	Eind Size 3/8X3**	From (Foot) 29 20	To Official 27
Buff Shale  29 to 12 feet Buff Shale	Drilled Hole 6W	Weight of Casing 6 I.D. 17# .250 Wa  Static Water Leve Shut-in Pressure Pumping Water I	el for non-fl	yo (Feet) 39 * owing We g Well	Elnd Size 3/813**	Promation (Feet) 29 20 20 91	Te (fee) 27 12
Buff Shale  29 to 12 feet Buff Shale	Drilled Hole 610	Static Water Leve Shut-in Pressure Pumping Water I Discharge in gal.	el for non-flowing evel per min. o	owing We g Well	Eind Size 3/813**  Ill	Prom. (Feet) 29 20 91	Te Green 27 12 12 fee
Buff Shale  29 to 12 feet Buff Shale	Drilled Hole 6W	Static Water Leve Shut-in Pressure Pumping Water I Discharge in gal.	of for non-flowing evel per min. o	owing We g Well Lie	Elbd Size 3/813**  li	Promation (Feet) 29 20 20 gal.	Te (Fee) 27 12 fee
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Blace Shale	Drilled Hole 610	Static Water Leve Shut-in Pressure Pumping Water I Discharge in gal. How Tested	of for non-flowing evel per min. o	owing We g Well  f flowing	Elad Size 3/813**  3/813**  li	promation (rest) 29 20 91 1 kg-e	Te (Fee) 27 12  fee  per minut
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Blace Shale	Drilled Hole 610	Static Water Leve Shut-in Pressure Pumping Water I Discharge in gal. How Tested	of for non-flowing per min. of the packing rel packing	owing We g Well  f flowing  Lee cementing	stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand stand	Prom. (Feet) 29 20 91 1 kg- type of s	fee fee fee minut
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Blue Shale	Drilled Hole 610	Static Water Level Shut-in Pressure Pumping Water I Discharge in gal. How Tested	el for non-flowing per min. o cailer el packing of place of similar p	owing We g Well  f flowing  Lee cementing use of greatinent	Elad Size 3/813*  3/813*  Ill	Prom (Feet) 29 20 91 1 hre- type of s f not at w including	re green 27 12 12 12 12 12 12 12 12 12 12 12 12 12
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Blace Shale	Drilled Hole 610	Static Water Level Shut-in Pressure Pumping Water I Discharge in gal. How Tested	of for non-flowing per min. of the packing rel packing	owing We g Well  f flowing  Lee cementing use of greatinent	Elad Size 3/813*  3/813*  Ill	Prom (Feet) 29 20 91 1 hre- type of s f not at w including	fee fee fee number
29 to 12 feet Buff Shale  11 to 12 feet Bune Shale	Drilled Hole 6N	Static Water Level Shut-in Pressure Pumping Water I Discharge in gal. How Tested	el for non-flowing per min. o cailer el packing of place of similar p	owing We g Well  f flowing  Lee cementing use of greatinent	Elad Size 3/813*  3/813*  Ill	Prom (Feet) 29 20 91 1 hre- type of s f not at w including	fee fee fee minut shutoff, locarell, and an number
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Blace Shale  W  Sec. Indicate local	Drilled Hole 610  S T R tion of well and	Static Water Level Shut-in Pressure Pumping Water I Discharge in gal. How Tested	el for non-flowing per min. o cailer el packing of place of similar p	owing We g Well  f flowing  Lee cementing use of greatinent	Elad Size 3/813*  3/813*  Ill	Prom (Feet) 29 20 91 1 hre- type of s f not at w including	fee fee fee minut shutoff, locarell, and an number
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Bune Shale	T Rtion of well and if possible. Each	Static Water Level Shut-in Pressure Pumping Water I Discharge in gal. How Tested	el for non-flowing per min. o cailer el packing of place of similar p	owing We g Well  f flowing  Lee cementing use of greatinent	Elad Size 3/813*  3/813*  Ill	Prom (Feet) 29 20 91 1 hre- type of s f not at w including	feet feet feet feet feet feet feet feet
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Blac Shale  14 Sec. Indicate local place of use, small square to Twenty—	T	Static Water Level Shut-in Pressure Pumping Water I Discharge in gal. How Tested	el for non-flowing per min. o cailer rel packing of place of similar principated, i	owing We g Well  Ili f flowing  cementings of greatinent f used for	Elad Size 3/813*  Ill	Prom (Feet) 29 20 91 1 hre- type of s f not at w including	feet feet feet feet feet feet feet feet
Buff Shale  29 to 12 feet Buff Shale  11 to 12 feet Blue Shale	T	Static Water Level Shut-in Pressure Pumping Water I Discharge in gal. How Tested	el for non-flowing per min. o cailer rel packing of place of similar principated, i	owing We g Well Le cementinuse of greatinent f used for	Elad Size 3/8X3*  3/8X3*  Ill	Prom (Feet) 29 20 91 1 kg of s f not at w including	Te Good 27 12 12 12 12 12 12 12 12 12 12 12 12 12

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Montana

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of 42,407 Mines and Geology and Quadruplicate for the Appropriator.

State of Montana | ss.
County of Gallatin | ss.
Filed Ottober | cook

Ø.	•		
-			

Approved Stock	Forna-State	Publishing Co.,	Helena.	Montana-12234

, 3s,		1	
-	<b>#</b> 3	70	

File No

T\_2N\_R\_1R

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

JAN 16 1964

County GALLATIN


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

JOHN C. HANSEN and JANEAL C. HANSEN,

1 husband and wife as joint tenants of THERE FORKS, MONTANA
(Name of Appropriator) (Address) (Town)

County of Tight of Survivorship and not as tenants in common have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lots 7 and 8, Block 2,
Buttelmans Addition to Three
Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2.	The beneficial use on which the claim is based
	irrigation of lawn, gardens, trees and shrubs

- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1958, approximately 10 days a month during months of May October each year
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 300 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

  approximately 1/1 acre Lots 7, 8, 9 and
  10 in Block 2 of the Buttelman Addition
  to the Town of Three Porks; above-named
  joint tenants owners
  6. The means of withdrawing such water from the ground and the loca-

tion of each well or other means of withdrawal hand dug well, 4 feet by 4 feet equare, 20 feet deep, comented up and wood and metal top cover

7.	The da	ie (	of commencement	and	completion	of	the	construction	of	the	well,	wells,	or	other	works	for	with
	drawal o	of g	groundwater <u>l</u>	958			••••	··· , · · · · · · · · · · · · · · ·						•••••			
							• • • • • • • • • • • • • • • • • • • •				•••			•••••			

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater hand did well, beet by before square.

20 feet deep, cemented up and wood and montal top cover	
######################################	

10. The estimated amount of groundwater withdrawn each year...approximately 8,000,000 gallons...

11. The log of formations encountered in the drilling of each well if available

	and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t
	gravel
12.	Such other information of a similar nature as may be useful in carrying out the policy of this act, including

2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record unknown.

Signature of Owner December 31,1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1625

State of Montana | SS.

County of Gallaun | SS.

Filed 3 1, 1963

12 48 of clock P. M.

William | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | States | Stat



### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

LICENSE NO.....

#### DRILLER'S LOG

Indicate the character, color, thickness of strata suri es soil, day, sand, gravel, shale, sandstone, etc. Show depih at which water is found and beight to which water sizes in and height to which water rises in well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of Ground (Elev. above sea level)	·
This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in	From To (Foxt)	
which the well is located, last copy to be retained by driller.	Log 2 1/2 109 Sout	
Please answer all questions. If not applicable, so state, otherwise the form may be returned.	21/2 3 tim sand	<del></del>
Owner Joe Meister For Administrator's Use  Address Box 733 File 31446	3 19 gravel	
Address Berx 733 51 8844		
71 7 kg 3.50 m.		
Three Forks February 19, 1975		
Date well started May 15 70GW 1		
completed		
Type of well thriven		
(Dug, driven, bored or drilled)		<del></del>
Equipment used(Chara drill, every or other)		
Water Use: Domestic (♣ Municipal ( Stock ( Irrigation (		
Industrial   Drainage   Other   * Garden/Lawn		
Silver Country Cardelly Lawin Cr		
*Describe		
USE: If used for irrigation, industrial, drainage or other. Explain, trate number of acres and location or other data (i.e. Lot, Block		
nd, Addition of B. B. C. T. lat allastions to		
ESTIMATED ANNUAL WITHDRAWAL Jorkes Ballatini Go.		
Size of Size-Aind Press To Drilled Weight (Yout) (Foot) PERFORATIONS		
Kind Fre's To Size (Fost) (Fost)		
Static water level		
Pumping water level		
atgallons per minute measuredminutes after pumping		
began.		
*Measured from ground level.  Well developed by		
for hours. Power Elect Jump /3 Hi		
Power		
packers, type of sh-noff)		
14 14 cm 20 Graves		
To Ne / E		
\$ <u></u>	, ————— <del>——</del> ——	
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.		
EACH SMALL SQUARE REPRESENTS 40 ACRES.		
EACH SMALL SQUARE REPRESENTS 40 ACRES.		

Jili# Jast# 2351

State of Montana
County of Gallatin

Filed

SS.

Filed

Fi

1 1 1

State 1969 The Property Company

### STATE CF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

DRILLER'S LOG Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well,

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of	Ground	(Slev. above sea level)
This form to be prepared by driller, and three copies to be filed by the ewner with the County Clerk and Recorder in the county in	Pros. (FeeD	To (Feet)	
which the well is located, last copy to be retained by driller.	<u> </u>	2 /4	1:-7 30-26
Please answer all questions. If not applicable, a state, otherwise the form may be returned.	3//2	3	is water ever
Owner Ork Muster For Administrator's Use	3	19	grave!
Address Box 733 File 1946			
Three Forks February 19, 197			
Date well started / 1/24/5, 70GW 1			
completed <u>Same</u>			
Type of well Mriven			
(Dug, driven, bored or drilled)			
Equipment used (Chara drill, rouny or other)			
Water Use: Domestic  Municipal  Stock  Irrigation			داده خود خود خود داده دیده دیده دیده بیشته بازی داری خود دیده دیده دیده دیده دیده دیده دیده دی
Industrial   Drainage   Other   * Garden/Lawn			- خات جنت خلت خات خدر، جنت خلت خانت با النب در الله على النب النب با
*Describe			
USE: If used for irrigation, industrial, drainage or other. Explain,			
state number of acres and location or other decents. Let Block	it	Control	
and Addition of the Total Charles on in			
ESTIMATED ANNUA WITHDRAWAL Jorkey Bellinin Co.			
			والمحافظة والمراورة
Size of Size and From To To Uright (Feet) (Foot) PERFORATIONS			
Mind From To			
The dove smell read as follows: (Food)			
North west Townsett Co's , at This Forks			
lot 8 in Alack 7			
N			
Static water level9ft.			
Pumping water level			
at2.7			
began.			
*Measured from group evel.			
Well developed by			
for hours. Power COCT, Pump /3 HP			
Remarks: (Gravel parking, cementing,			
packers, type of shutoff)			
5 1/4 1/4 Sec 26 Everes			
J T N R E	<b> </b>		
INDICATE LOCATION OF WELL AND BLACE OF USE AT DOCUME	<del>-</del>		
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.			
	+	<del> </del>	
Driller's Signature 1 CM; list in			
Driller's Address av above			
LICENSE NO		o A	_ Show exact depth of bottom
		e e	

THE RESERVE OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF T

G₩	

Approved Stock Form—State Publishing Co., Helena, Montana 1234

File No.

T 2N R 1E

DUPLICATE

County Gallatin

## STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

STATE ENGINE

OFFICE OF STATE ENGINEER

## **Declaration of Vested Groundwater Rights**

#1111AM-5PX	TERSON of (Address) (Town)
(Name of Appropris	ator) (Address) (Town)
ity of GALLATIN	State of MONTANA
appropriated groundwater ac	cording to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is besed.
	household & domestic use and irrigating
	lawn 3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has beenNovember, 1961; daily use
	ever since November, 1961, and such use
	E now continues
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) approximately 300 gallons per
	dey dey
	E If mad for in-ignation, give the assessment demonstration of the lands
<u></u>	<ol> <li>If used for ir-igation, give the acreage and description of the lands to which water has been applied and name of the owner thereof</li> </ol>
S. Block 13, Buttelm	on Lot 8 in 81 ock 13, Buttelman Addition
Sec. 26 T. 24 R. IB	on Lot 8 in 81 ook 13, Buttelman Addition
e point of appropriation	To Three Forks, Montana, William B. Feterson
ace of use, if possible. Each	owner.  6. The means of withdrawing such water from the ground and the loca-
square represents 10 acres	tion of each well or other means of withdrawal Drivenpipewe
The date of commencement and	completion of the construction of the well wells or other works for with-
	completion of the construction of the well, wells, or other works for with-
awal of groundwater. Nove	omber, 1961;
awal of groundwaterNove	omber, 1961; oresimately & feet
ne depth of water tableapp	he type, size and depth of each well or the general specifications of any other
ne depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deeb; 2 inch pipe
ne depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe sened by pounding bettem and together, and holes sipe driven 16 feet down into water after excavation
awal of groundwater. Nove ne depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe sened! by pounding bettem end together, and holes sipe driven 16 feet down into water after excavation and the serial making 22 feet depth from surface of tro
awal of groundwater. Nove ne depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe sened! by pounding bettem end together, and holes sipe driven 16 feet down into water after excavation and the serial making 22 feet depth from surface of tro
awal of groundwater. Nove ne depth of water table	the type, size and depth of each well or the general specifications of any other indivater. Driven pipe well 22 feet deep; 2 inch pipe bened. Dy pounding bettem end together, and holes of pe driven 16 feet down into water after excavation a material, making 22 feet depth from surface of grown in basement of house situated on said bot 3, telman Addition; electric pump; water piped into tat water withdrawn each year. System in house, and outside law
awal of groundwater. Nove to depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe bened by pounding bettem end together, and holes lipe driven 16 feet down into water after excavation material, making 22 feet depth from surface of grown in basement of house situated on said bot 5, telman Addition; electric pump; water piped into tat water withdrawn each year System in house, and outside law 109,500 gallons
awal of groundwater. November depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe sened. by pounding bottom end together, and holes sipe driven 16 feet down into water after excavation assterial, making 22 feet depth from surface of grown in basement of house situated on said Lot 3, telman Addition; electric pump; water piped into tat water withdrawn each year system in house, and outside fau 109,500 gallons d in the drilling of each well if available.
awal of groundwater. November to the water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe bened by pounding bettem end together, and holes lipe driven 16 feet down into water after excavation material, making 22 feet depth from surface of grown in basement of house situated on said bot 5, telman Addition; electric pump; water piped into tat water withdrawn each year System in house, and outside law 109,500 gallons
awal of groundwater. November depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe sened! by pounding bettem end together, and holes sipe driven 16 feet down into water after excavation material, making 22 feet depth from surface of grown in basement of house situated on said bot 8, telman Addition; electric pump; water piped into the water withdrawn each year. System in house, and outside fau 109,500 gallons d in the drilling of each well if available.
awal of groundwater. November depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe bened! by pounding bettem end together, and holes eipe driven 16 feet down into water after excavation assterial, making 22 feet depth from surface of grown in basement of house situated on said Lot 8, telman Addition; electric pump; water piped into the water withdrawn each year System in house, and outside fau 109,500 gallons d in the drilling of each well if available.
awal of groundwater. Nove  the depth of water table	che type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe ened! by pounding bettem end together, and holes of per driven 16 feet down into water after excavation that exact in asking 22 feet depth from surface of grown in basement of house situated on said Lot 3, telman Addition; electric pump; water piped into water withdrawn each year System in house, and outside fau 109,500 gallons din the drilling of each well if available.  In and and gravel
awal of groundwater. November depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe bened! by pounding bettem end together, and holes eipe driven 16 feet down into water after excavation assterial, making 22 feet depth from surface of grown in basement of house situated on said Lot 8, telman Addition; electric pump; water piped into the water withdrawn each year System in house, and outside fau 109,500 gallons d in the drilling of each well if available.
awal of groundwater. November depth of water table	che type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe ened! by pounding bettem end together, and holes of per driven 16 feet down into water after excavation that exact in asking 22 feet depth from surface of grown in basement of house situated on said Lot 3, telman Addition; electric pump; water piped into water withdrawn each year System in house, and outside fau 109,500 gallons din the drilling of each well if available.  In and and gravel
rawal of groundwater. November depth of water table	he type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe bened! by pounding bottom and together, and holes sipe driven 16 feet down into water after excavation material; making 22 feet depth from surface of grown in basement of house situated on said bot 8, telman Addition; electric pump; water piped into tat water withdrawn each year system in house, and outside fau 109,500 gallons d in the drilling of each well if available and and gravel  illar nature as may be useful in carrying out the policy of this act, including y county record unknows:
rawal of groundwater. November depth of water table	che type, size and depth of each well or the general specifications of any other ndwater. Driven pipe well 22 feet deep; 2 inch pipe ened! by pounding bettem end together, and holes of per driven 16 feet down into water after excavation that exact in asking 22 feet depth from surface of grown in basement of house situated on said Lot 3, telman Addition; electric pump; water piped into water withdrawn each year System in house, and outside fau 109,500 gallons din the drilling of each well if available.  In and and gravel

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so suce, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1517

Cast Wallan 1963

Cast Wallan 1963

Cast Wallan 1963

	-/
	20

File No....

T 2N R 1B

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

RECEIVER

Declaration of Vested Groundwater Rights10 V 22 1963

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINLER

l.,	Edward E. Thate and Pagel I. T	Thate of Three Forks	3
	(Name of Appropriator)	(Address)	(Town)
	County of Gallatin	State of Montana	
	have appropriated groundwater according to	the Montana laws in effect pri	or to January 1, 1962, as follows
	N.		

	7									
*									-	
•	g									

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based well #1 Irrigation of garden, lawn, trees, bushes, flowers carden, and domestic use.
- well #2 bushes, flowers

  3. Date or approximate date of earliest beneficial use; and how continuous the use has been well #1 1936 continuous

  10 gours daily in summer for 50 days; weekly

  10 fall for lawn, trees, bushes

  well #2 1938 cccasional use for garden

  and domestic use.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute; Well #2 14 gallons per minute;
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 1/2 city block 3 of Buttelman Addition.

  Three Forks, Gallatin Lounty, Montana Lots 1 & 2 Hazel 1. Thate; Lots 3,4, and 5
  Edward E. Thate; Lot 6, Spall 2. Knowles.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.

  | Continue of the means of withdrawal or lock is and block in the second or lock is and block in the location of the well, well, said block is and block is and block in the means of withdrawal.

  | Continue of the means of withdrawing such water from the ground and the death second or lock is and block in the location of the well, wells, or other works for withdrawing such water from the ground and the death second or location of withdrawing such water from the ground and the location of the means of withdrawing such water from the ground and the location of the means of withdrawing such water from the ground and the location of the means of withdrawal.
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.unknown.sxcept.said.walls.were-in-use-in-1938
- 8. The depth of water table Well #1, approximate 8 feet; Well #2 approximately unknown
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well #1, 10 feet deep, wooden cases 4 feet square originally recased with wood in 1959 44 inches square, electric pressure pump 16 gallons per sinute; Well #2, 90 feet deep, 5% steel pipe casing, hand pump 12 gallons per sinute.
- 1) The estimated amount of groundwater withdrawn each year Well #1 300,000 zzllons; Well #2 occasional use.

Signature of Owner Huzel I That

Date November 20, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

State of Montana | SS. County of Gallatin | SS. November 21 , 1963 o'clock P\_M. COUNTY CLERK

Fee \$2,00 pd

	-
G	

Approved Stock Form-State Publishing Co., Helena, Montana-41921



File No....

DUPLICATE

T 2N R

STATE OF MON"ANA

ADMINISTRATOR OF GROUNDWATER CODE DEC 26 1963

County GALLATIN

# Declaration of Vested Groundwater Richts ENGINEER (Under Chapter 237, Montana Session Laws, 1961)

State of Montana ave appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:  2. The beneficial use on which the claim is based Well (sand-point) #2, irrigating lawn and gardens; Well (sand-point) #2, irrigating lawn and gardens  3. Date or approximate date of earliest beneficial use; and how continuous the use has been Well #1, 1949, daily 4 days a week April through September each year;  Well #2, 1949, daily 4 days a week April through September each year;  Well #2, 1949, daily 4 days a week April through September each year;  Well #2, 1949, daily 4 days a week April through September each year;  Well #2, 1949, daily 4 days a week April through September each year;  Some amount of groundwater claimed (in miner's inches or gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  To which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been applied and name of the owner thereof to which water has been well #1, 1949, daily #1, 1962, as follows:		(Address) (Town)
2. The beneficial use on which the claim is book Well (sand-point) #2, irrigating lawn and gardens; Well (sand-point) #2, irrigating lawn and gardens.  3. Date or approximate date of earliest beneficial use; and how continuous the use has been Well #1, 1949, daily & days a week April through September each year; well #2, 1949, daily & days a week April through September each year.  4. Sec 26 T28 R IB leate point of appropriation place of use it possible. Each ill square represents 10 acres.  5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereof to the content of the content of the content of the land to which water has been applied and name of the owner thereof to to Town of Three Porks, Buttains Addition to Townson, Owners.  6. The means of withdrawile both wells on the each well or other means of withdrawile both wells on the content wall #1, 35 feet deep, centrifugal pump with electric motor.  7. The depth of water table. Well #1 approximately 14 feet; well #2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any othe works for the withdrawal of groundwater will. #1, sand-point pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pi	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	• • •
2. The beneficial use on which the claim is b. ed Well (sand-point) #2, irrigating lawn and gardens; Well (sand-point) #2, irrigating lawn and gardens 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Well #1, 1949, daily & days a week April through September each year; Well #2, 1949, daily & days a week April through September each year; Well #2, 1949, daily & days a week April through September each year; The amount of groundwater daimed (in miner's menes or gallown per minute) Well #1, 30 gallons per minute; Well #2, 15 gallons per minute;  5. If used for irrigation, give the average and description of the land to which water has been applied and name of the owner thereof lots 1, 2 and 3, block b. Inttalman Addition to the form of each well or other means of withdrawal of the well well #1, 35 (each deep, contribugal pump with electric motor)  The date of commendement and completion of the construction of the withdrawal of groundwater 1949  The depth of water table Well #1 approximately 14 feet; Well #2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well #1, sand-point pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-inch pipe; 2-in	ave appropriated groundwater according	g to the Montana laws in effect prior to January 1, 1962, as follows:
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Well \$1, 1949, daily & days a week April through September each year; Well \$2, 1949, daily & days a week April through September each year.  The amount of groundwater chimed (in miner's inches or gallom per minute) Well \$1, 30 galloms per minute;  Well \$2, 1949, daily & days a week April through September each year.  The amount of groundwater chimed (in miner's inches or gallom per minute) Well \$1, 30 galloms per minute;  Sec. 26 T2M R. IR  teste point of appropriation place of use, if possible. Each a square represents 10 acres.  Interes forts pump with electric motor, 2-inch pipes and old Thompson and Old Thompson, owners to not each well or other means of withdrawal both wells on sand-point well \$1, 35 feet deep, centrifugal pump with electric motor, 2-inch pipes and point, 1 1/5 inch out of drawal of groundwater 1949  The depth of water table Well \$1 approximately 14 feet; Well \$2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well \$1, sand-point pipe, 2-inch pipe, 35 (well \$2, same).  The estimated amount of groundwater withdrawn each year 1,500,000 gallons.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference we book and page of any county record.  Signature of Owner Well Markets.  Signature of Owner Well Markets.  Signature of Owner Well Markets.	N	2. The beneficial use on which the claim is band Well (sard-point), irrigating lawn and gardens; Well (sand-
ous the use has been Well #1, 1949, daily & days evek April through September each year; Well #2, 1949, daily & days a week pril through September each year; The amount of groundwater channel (in miner's inches or gallom per minute). Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 15 gallons per minute; Well #2, 16 gallons per minute; Well #2, 16 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 18 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons per minute; Well #2, 20 gallons		
Well #2, 1949, daily a days a week April through September each year.  The amount of groundwater claimed (in miner's inches or gallons per minute) Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 15 gallons per minute;  Well #2, 25 and 3, 5 look and page of the owner thereof Lots.  The gallons per minute;  Well #2, 25 and 3, 5 look and page of any ecunty reord  The means of withdrawing such water from the ground and the location of each well or other means of withdrawal powers from the ground and the location of each well or other means of withdrawal powers from the ground and the location of the water from the ground and the location of the water from the ground and the location of each well or other means of withdrawal powers from the ground and the location of the water from the ground and the location of the water from the ground and the location of the water from the ground and the location of the water from the ground and the location of the water from the ground and the location of the water from the ground and the location of the water from the ground and the location of the water from the ground and the		ous the use has been Well. #1, 1949, daily 4 days
per minute) Well #1, 30 gallons per minute;  Well #2, 15 gallons per minute  5. If used for irrigation, give the average and description of the land to which water has been applied and name of the owner thereof the point of appropriation place of use, if possible. Each I square represents 10 acres.  Buttelman Add.  Three Forks  Pump with electric  Battlepoint, well #1.  The date of commencement and completion of the construction of the well water from the ground and the local tion of each well or other means of withdrawal both wells on sand-point well #1. 35 feet deep, centrifugal month of groundwater 1949  The depth of water table. Well #1 approximately 14 feet; Well #2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well. #1, sand-point pipe; 2-inch pipe; 35 cet deep, centrifugal pump with electric motor.  The estimated amount of groundwater withdrawn each year 1,500,000 gallons.  The log of formations encountered in the drillin; of each well if available gravel  Signature of Owner All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary All Mary	E	Well #2, 1949, daily 4 days a week April
5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereof which water has been applied and name of the owner thereof to the point of appropriation place of use, if possible. Each a square represents 10 acres.  Buttelman Add. Three forks pump with electric metor, 2 inch pipe said-point, wall #1, 35 feet deep, centrifugal pump with electric metor, 2 inch pipe said-point, largh out drawal of groundwater 1949  The date of commencement and completion of the construction at the well, wells, of other works for with drawal of groundwater 1949  The depth of water table well #1 approximately 14 fact; well #2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well #1, sand-point pipe, 2-inch pipe, 35 feet deep, centrifugal pump with electric motor 1 1/2 inch cuttet; well #1, sand-point pipe, 2-inch pipe, 35 feet deep, centrifugal pump with electric motor 1 1/2 inch cuttet; well #1, sand-point pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe		per minute) Well #1, 30 gallons per minute;
Lots 1, 2 and 3, Elock 4, Buttslman Addition to Town of Three Forks, Montans; Ida Thompson and Ole Thompson, owners and square represents 10 acres.  Buttelman Add. Three Forks pump with electric motor, 2-inch pipe said-point, 11/2 linch out sand-point wall #1, 35 feet deep, centrifugal pump with electric motor, 2-inch pipe said-point, 11/2 linch out sand-point wall #1, 35 feet deep, centrifugal pump with drawal of groundwater 1949  The date of commencement and completion of the construction of the well of the well with the electric motor.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater with electric motor.  The estimated amount of groundwater withdrawn each year 1,500,000 gallons.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference we book and page of any occurity record.  Signature of Owner Well in carrying out the policy of this act, including reference we book and page of any occurity record.  Signature of Owner Well in carrying out the policy of this act, including reference we book and page of any occurity record.  Signature of Owner Well in carrying out the policy of this act, including reference we book and page of any occurity record.		5. If used for irrigation, give the acreage and description of the lands
to Town of Three Forks, Montana; Ida  Thompson and Ole Thompson, owners  place of use, if possible. Each I square represents 10 acres.  Buttelman Add.  Three Forks  pump with electric motor, 2-inch pipe sad-point, 1 1/4 inch out  and point wall #1, 35 feet deep, centrifugal  The date of commencement and completion of the construction of the well of the well, wells, of other works for with  drawal of groundwater 1949  The depth of water table. Well #1 approximately 14 feet; Well #2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other  works for the withdrawal of groundwater Well. #1, sand-point pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch pipe, 2-inch	s	
place of use, if possible. Each is quare represents 10 acres.  Buttelman Add. Three forks pump with electric motor, 2-inch pipe, 33d-point, 11/4 lach or sand-point mell 12, 35 feet deep, centrifugal pump with electric motor, 2-inch pipe, 33d-point, 11/4 lach or sand-point mell 12, 36d-gat, deep centrifugal pump with electric of the well, wells of other works for with drawal of groundwater 1949  The depth of water table well #1 approximately 14 feet; well #2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater with electric motor 1/4 inch catelet; well #1, sand-point pipe, 2-inch pipe, 35 leaf deep, centrifugal pump with electric motor 1/4 inch catelet; well #2, sand-point pipe, 2-inch pipe, 20 feet deep, centrifugal pump with electric motor.  The estimated amount of groundwater withdrawn each year 1,500,000 gallons.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference we book and page of any ecunty record unknown.  Signature of Owner Well Mark apparent.		to Town of Three Forks, Montana; Ida
So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater with electric motor.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater with electric motor.  The estimated amount of groundwater withdrawn each year 1,500,000 gallons.  The log of formations encountered in the drilling of each well if available.  Signature of Owner Che The agreement and page of any ecunty record.  Signature of Owner Che The agreement and and the log tion of ton of each well or other means of withdrawal both will and point with electric motor.  The date of commencement and completion of the construction of the well, well, of other works for with drawal of groundwater well. #1, sand-point pipe, 2-inch pipe, 35  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater with electric motor.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal pipe, 2-inch pipe, 35  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal pipe, 2-inch pipe, 35  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal pipe, 2-inch pipe, 35  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal pipe, 2-inch pipe, 35  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal pipe, 2-inch pipe, 35  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal pipe, 35  So far as it may be available, the t	cate point of appropriation	+# <del>Ambaar ara</del>
pump with electric motor, 2-inch nipe sad-point, 1 1/4 inch out and point will 12, 20 188t deap centrifugal nump with electric The date of commencement and completion of the construction of the well, well, or other works for with drawal of groundwater 1949  The depth of water table   Well   #1   approximately   14   feet;   Well   #2,   same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater   Well   #1,   sand-point   pipe, 2-inch   pipe, 35	l square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of each well or other means of withdrawal to the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the location of the locatio
The depth of water table. Well #1 approximately 14 fact; Well #2, same.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well #1, sand-point pipe, 2-inch pipe, 35  Let deep, contrifugal pump with electric motor 1 1/4 inch citlet; well #2, sand-point pipe, 2-inch pipe, 20 feet deep, centrifugal pump with electric motor  The estimated amount of groundwater withdrawn each year 1,500,000 gallons.  The log of formations encountered in the drilling of each well if available gravel  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any occurty record unknown.  Signature of Owner Old The Theory and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the same and the sa	The date of commencement and compared of groundwater 1949	sand best deep centrifugal pump with electric pletion of the construction of the well, wells, or other works for with-
So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well #1, sand-point pipe, 2-inch pipe, 35  [Seet deep, centrifugal pump with electric motor 1 1/4 inch outlet;  [Sell #2, sand-point pipe, 2-inch pipe, 20 feet deep, centrifugal pump with electric motor  The estimated amount of groundwater withdrawn each year 1,500,000 gallons  The log of formations encountered in the drilling of each well if available gravel  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference we book and page of any ecunty record unknown  Signature of Owner Well The apparent	manar or groundwater in page	
works for the withdrawal of groundwater Well #1, sand-point pipe, 2-inch pipe, 35  Let deep, centrifugal pump with electric motor 1 1/4 inch outlet;  Let #2, sand-point pipe, 2-inch pipe, 20 feet deep, centrifugal pump  Lith electric motor  The estimated amount of groundwater withdrawn each year 1,500,000 gallons  The log of formations encountered in the drilling of each well if available  gravel  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference we book and page of any ecunty record  Signature of Owner Oli The apparature of Owner Oli The app		
works for the withdrawal of groundwater Well #1, sand-point pipe, 2-inch pipe, 35  Seet deep, centrifugal pump with electric motor 1 1/4 inch outlet;  [ell #2, sand-point pipe, 2-inch pipe, 20 feet deep, centrifugal pump  with electric motor  The estimated amount of groundwater withdrawn each year 1,500,000 gallons  The log of formations encountered in the drilling of each well if available  gravel  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference we book and page of any ecunty record  Signature of Owner Oli The apparature of Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner Owner	The depth of water table Well #1	approximately 14 feet; Well #2, same.
The estimated amount of groundwater withdrawn each year 1,500,000 gallons  The log of formations encountered in the drilling of each well if available  gravel  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference we book and page of any ecunty record.  Signature of Owner Oli Directors.		•
The estimated amount of groundwater withdrawn each year 1,500,000 gallons  The log of formations encountered in the drilling of each well if available  gravel  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record  Signature of Owner Old The County Theorem	So far as it may be available, the typ works for the withdrawal of groundwat	pe, size and depth of each well or the general specifications of any other ter Well #1, sand-point pipe, 2-inch pipe, 35
The log of formations encountered in the drilling of each well if available  gravel  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any ecunty record unknown.  Signature of Owner Ole The apparatus	So far as it may be available, the type works for the withdrawal of groundwat the deep resentrifugal pum	pe, size and depth of each well or the general specifications of any other ser Well #1, sand-point pipe, 2-inch pipe, 35
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference whook and page of any ecunty record unknown.  Signature of Owner Ole The agreement	So far as it may be available, the type works for the withdrawal of groundwat est. deep. centrifugal pum [ell. #2, sand-point pipe.	pe, size and depth of each well or the general specifications of any other ser Well #1, send-point pipe, 2-inch pipe, 35
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference whook and page of any ecunty record unknown.  Signature of Owner Ole The age of the sact, including the sact of the policy of this act, including the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the sact of the	So far as it may be available, the type works for the withdrawal of groundwat leet deep, contrifugal pum sell #2, sand-point pipe, with electric motor	pe, size and depth of each well or the general specifications of any other ser Well #1, send-point pipe, 2-inch pipe, 35 p with electric motor 1 1/4 inch outlet; 2-inch pipe, 20 feet deep, centrifugal pump
Signature of Owner Ole The age.	So far as it may be available, the type works for the withdrawal of groundwate the deep research pumpiled. The estimated amount of groundwater the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log of the log	pe, size and depth of each well or the general specifications of any other well #1, sand-point pipe, 2-inch pipe, 35 p with electric motor 1 1/4 inch outlet; 2-inch pipe, 20 feet deep, centrifugal pump withdrawn each year 1,500,000 gallons the drilling of each well if available
Signature of Owner Ole The inpresent	So far as it may be available, the type works for the withdrawal of groundwate the deep research pumpers of the estimated amount of groundwater.  The log of formations encountered in the log of formations encountered in the log of formations are available, the type works for the withdrawal of groundwater.	pe, size and depth of each well or the general specifications of any other well #1, sand-point pipe, 2-inch pipe, 35 p with electric motor 1 1/4 inch outlet; 2-inch pipe, 20 feet deep, centrifugal pump withdrawn each year 1,500,000 gallons the drilling of each well if available
Signature of Owner Ole The inpresent	So far as it may be available, the type works for the withdrawal of groundwat the type contrifugal pumpers and point pipe.  The estimated amount of groundwater the log of formations encountered in the type gravel.  Such other information of a similar name of the stimular of the similar name of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar of the similar	pe, size and depth of each well or the general specifications of any other for Well #1, sand-point pipe, 2-inch pipe, 35  p with electric motor i 1/4 inch outlet;  2-inch pipe, 20 feet deep, centrifugal pump  withdrawn each year 1,500,000 gallons  the drilling of each well if available  ature as may be useful in carrying out the policy of this act, including
	So far as it may be available, the type works for the withdrawal of groundwate the deep resolution of groundwater.  The estimated amount of groundwater.  The log of formations encountered in the gravel.  Such other information of a similar nate of the strength of the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of any countered to the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page of the page o	pe, size and depth of each well or the general specifications of any other well #1, sand-point pipe; 2-inch pipe; 35  IP with electric motor 1 1/4 inch outlet;  2-inch pipe; 20 feet deep; centrifugal pump  withdrawn each year 1,500,000 gallons  the drilling of each well if available  ature as may be useful in carrying out the policy of this act, including the record unknown
	So far as it may be available, the type works for the withdrawal of groundwate the control of groundwater the log of formations encountered in the log of formation of a similar nareference to book and page of any course	pe, size and depth of each well or the general specifications of any other ter Well #1, sand-point pipe, 2-inch pipe, 35  p with electric motor 1 1/4 inch outlet; 2-inch pipe, 20 feet deep, centrifugal pump  withdrawn each year 1,500,000 gallons  the drilling of each well if available  ature as may be useful in carrying out the policy of this act, including the record unknown

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 12094 #974

State of County	f Montana of Gallatin	ss.	
Filed	Decomi	er 23 196	3
at9	:07	o'clock_A_N	1.
	Earl Wa		_
By Z	willed	INTY CLERY & BECORDER	eß
5-05		DEPUTY	


GV!	
File	No
	LICATE County Gulletin
	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER  JAN 15 1964
	Declaration of Vested Groundwater Rights
	(Under Chapter 237, Montana Session Laws, 1961)
·	Day 18 1 2 th salin in all of a 18 th
1.	County of Sallatin State of Thomana (Town)
	County of Sallatin State of Thomana
	have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:
	N 1
Г	2. The beneficial use on which the claim is based Jungation
-	2 Days or engreeignests date of earliest boundaries and boundaries
-	3. Date or approximate date of earliest beneficial use; and how continuous the use has been May as 1960 and
-	cesed ever sinke &
₩  -	E .
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 200 gal. per Min.
<u></u>	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner
	thereof NE 4 SEY Sec 26- IN 1E  4 Sec 26- IN 1E  4 Sec 26- IN 1E
	Duttelmano addelin
	licate point of appropriation  d place of use, if possible.  6. The means of with rawing such water from the ground and the
acı	location of each well or other means of withdrawal  location of each well or other means of withdrawal  Lo. T. 2 - N.E. Sec. 26  2 N.E. Deuttlemeans Golding
7.	The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
	drawar or groundwater
8.	The depth of water table
٥.	
9.	So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
	other works for the withdrawal of groundwater
	1.5 ft:
10.	The estimated amount of groundwater withdrawn each year 360,000
11	The log of formations encountered in the drilling of each well if available
11.	2 at available
	Lat available
12.	reference to book and page of any county record.
	211: K71444
	Chilland & Wilcox
	Signature of Owner Betty Thilest
	Signature of Owner Detty 3. Hilest  Date Nic 30, 1963
	ee copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

35911

1597



;

G₩	
_	

Approved Stock Form-State Publishing Co., Helena, Montain, 42234

File	No	

DUPLICATE

T 2N R IE

STATE OF MONTANA

ADMINISTRATOR OF GROUND WATER CODE OFFICE OF STATE ENGINEER

j. W. L. Shall

County GALLATIN

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

(Name of Approp		(Address)	(Town)
	A (Characa)	***	,
			to January 1, 1962, as follows:
Exe appropriated groundwater	according to me a	LOLLAND IN CHECK PLIOT	W valuary 1, 1502, 22 10110Ws:
N			
	2. The bear	neficial use on which the clai	m is based Drilled well,
· <b>X</b>	- house b	cold use and stock	vater: Scopped well.
scooped w	ell stockw	rater	•
	5	<del>-</del> -	st beneficial use; and how continu-
	ous the	use has been Drilled 1	mell, 1920, daily use
			l, daily use year
	stone c	1since 1915	***************************************
	4. The con	mount of Secundwater clair	ned (in miner's inches or gallons
	1		
	gen inte		50 gallons per minute
X drilled well	sca <b>cs</b>	pel well 500 gallo	re her day
	5. If use	d for irrigation, give the ac	reage and description of the lands
s			and name of the owner thereof
	no	irrigation	***************************************
_14 Sec.34 T. 2N. R.1E	***********	**************************************	
cate point of appropriation	*******	***************************************	
l place of use, if possible. Each	6 The	soons of withdrawing make w	ater from the ground and the loca-
ill square represents 10 acres.		_	withdrawal
			icap, 6-inch steel case
The date of commencement a drawal of groundwater	rilled well,	1920; Scooped well	wells, or other works for with-
-			
***************************************	rilled well.	10 feet, scooped	well, 7 feet
The depth of water tableD			•
The depth of water tableD.  So far as it may be available,	, the type, size and	depth of each well or the	general specifications of any other
The depth of water tableD  So far as it may be available, works for the withdrawal of gr	, the type, size and	d depth of each well or the	general specifications of any other
The depth of water tableD  So far as it may be available, works for the withdrawal of gr	, the type, size and	d depth of each well or the	general specifications of any other
The depth of water tableD  So far as it may be available, works for the withdrawal of gr	, the type, size and	d depth of each well or the	general specifications of any other
The depth of water tableD  So far as it may be available, works for the withdrawal of gr	, the type, size and	d depth of each well or the	general specifications of any other
The depth of water tableD.  So far as it may be available, works for the withdrawal of gr	, the type, size and oundwater Drill.	depth of each well or the	general specifications of any other sp., 6-Inch steel eased, ch. livestock drink dire
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly horse pump; scoop.  The estimated amount of grounds.	, the type, size and oundwater Drill.	i depth of each well or the ed well 80 feet de feet deep from whi each year Brilled we	general specifications of any other
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly become pump; scoop.  The estimated amount of groundly scooped well.	the type, size and oundwater Brill.  ad well, 10  adwater withdrawn  200,000 ga	depth of each well or the ed well, 80 feet de feet dep from whi	general specifications of any other  pp. 6-Inch steel eased, ch livestock drink dire
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become	ndwater withdrawn 200,000 ga	each year Drilled wellons of each well if available	general specifications of any other  pp. 6-2nch steel eased, cir. livestock drink dire
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become	ndwater withdrawn 200,000 ga	depth of each well or the ed well, 80 feet de feet dep from whi	general specifications of any other  pp. 6-2nch steel eased, cir. livestock drink dire
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become become	ndwater withdrawn 200,000 ga	each year Drilled wellons of each well if available	general specifications of any other  pp. 6-2nch steel oased, ch livestock drink dire
The depth of water tableD.  So far as it may be available, works for the withdrawal of grade pump; scoop.  The estimated amount of ground scooped well.  The log of formations encounter.	ndwater withdrawn 200,000 gasered in the drilling	each year Drilled we llose well if available lbase	general specifications of any other sp, 6-Inch steel eased, ch livestock drink dire
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly because the pump; scoop.  The estimated amount of groundly because the log of formations encounted the log of formation of a significant stateD.	ndwater withdrawn 200,000 gasered in the drilling grave	d depth of each well or the  d well 780 feet de  feet deep from will  each year Drilled we  llons of each well if available  base  by be useful in carrying ou	general specifications of any other  pp, 6-Inch steel cased, ch livestock drink dire  11, 2000000 gailons;  t the policy of this act, including
The depth of water tableD.  So far as it may be available, works for the withdrawal of grade pump; scoop.  The estimated amount of ground scooped well.  The log of formations encounter.	ndwater withdrawn 200,000 gasered in the drilling grave	d depth of each well or the  d well 780 feet de  feet deep from will  each year Drilled we  llons of each well if available  base  by be useful in carrying ou	general specifications of any other  sp, 6-Inch steel cased, ch livestock drink dire  11, 2000000 gailons;  t the policy of this act, including
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly because the pump; scoop.  The estimated amount of groundly because the log of formations encounted the log of formation of a significant stateD.	ndwater withdrawn 200,000 gasered in the drilling grave	d depth of each well or the  d well 780 feet de  feet deep from will  each year Drilled we  llons of each well if available  base  by be useful in carrying ou	general specifications of any other  pp, 6-Inch steel cased, ch livestock drink dire  11, 2000000 gailons;  t the policy of this act, including
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly because the pump; scoop.  The estimated amount of groundly because the log of formations encounted the log of formation of a significant stateD.	ndwater withdrawn 200,000 gasered in the drilling grave	d depth of each well or the  d well 780 feet de  feet deep from will  each year Drilled we  llons of each well if available  base  by be useful in carrying ou	general specifications of any other  pp, 6-Inch steel cased, ch livestock drink dire  11, 2000000 gailons;  t the policy of this act, including
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly because the pump; scoop.  The estimated amount of groundly because the log of formations encounted the log of formation of a significant stateD.	ndwater withdrawn 200,000 gasered in the drilling grave	depth of each well or the ed well, 80 feet de feet deep from whi	general specifications of any other  pp, 6-Inch steel cased, ch livestock drink dire  11, 2000000 gailons;  t the policy of this act, including
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly because the pump; scoop.  The estimated amount of groundly because the log of formations encounted the log of formation of a significant stateD.	ndwater withdrawn 200,000 gasered in the drilling grave	d depth of each well or the  d well 780 feet de  feet deep from will  each year Drilled we  llons of each well if available  base  by be useful in carrying ou	general specifications of any other  pp, 6-Inch steel cased, ch livestock drink dire  11, 2000000 gailons;  t the policy of this act, including
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly because the pump; scoop.  The estimated amount of groundly because the log of formations encounted the log of formation of a significant stateD.	ndwater withdrawn 200,000 gasered in the drilling grave	each year Drilled we lloss of each well if available when which we will be a second with the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well o	general specifications of any other  pp, 6-Inch steel cased, ch livestock drink dire  11, 2000000 gailons;  t the policy of this act, including
The depth of water tableD.  So far as it may be available, works for the withdrawal of grundly because the pump; scoop.  The estimated amount of groundly because the log of formations encounted the log of formation of a significant stateD.	ndwater withdrawn 200,000 gasered in the drilling grave	each year Drilled we lloss of each well if available when which we will be a second with the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well in carrying out the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well or the well o	general specifications of any other  pp. 6-Inch steel cased, ch livestock drink dire  11, 2009000 gailons;  t the policy of this act, including

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplete to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 35864